

EPL 2011 EURO

Type	English	EP 2011	Payment per anno	Dat Code	Repair Code	Weight in Kg	Customs Number	Country of origin
0010240300	Anschlussset 6mm Komplet	13,30		M		0.078	90329090	CH
0035465000	Throttling screw M4 anti-surge; brass	2,20		M		0.004	90329090	CH
0036787000	Packing box for capillary R1/2 screw fitting;brass	41,30		M		0.160	90329090	CH
0044529000	Allen key for adjustment screw	21,30		M		0.016	90329090	CH
0114467000	Capillary throttle, 1m G1/2-R1/2;steel	172,40		M		0.240	90329090	CH
0144313000	Packing box for capillary R1/2;inox	112,20		M		0.165	90329090	CH
0188614000	Fixing bracket for wall mounting	19,50		M		0.840	90329090	CH
0188813000	Ball joint for lever	11,20		M		0.085	84819010	DE
0190403005	Connector (serto R1/8) for tube d=6; brass	7,40		M		0.023	39174000	CH
0190403505	Assembly work Connector Serto R1/8	1,80		M		0.000	00000000	CH
0192222000	Cap nut with thread G1/2 with solder nipple d=12	24,10		M		0.088	90329090	CH
0192700000	Capillary throttle, 1m G1/2-R1/2; Cu	111,20		M		0.210	90329090	CH
0193822000	Connection nipple G1/8A for plug d=6	28,10		M		0.013	90329090	CH
0193830000	Connection nipple M4 for plug d=6	27,00		M		0.010	90329090	CH
0193832000	Connector G1/8A for plug d=6	22,60		M		0.013	90329090	CH
0193834000	Connector Rp1/8 internal for plug d=6	32,00		M		0.033	90329090	CH
0198142000	Distribution piece G1/8i for plug d=6; 5-fold	82,50		M		0.085	84819010	CH
0210240010	Entretoise 100 mm	49,00		M		0.071	90329090	CH
0213654000	Blanking plug d=6; long	15,70		M		0.022	84819010	CH
0214120000	Throttling screw M4 anti-surge; stainl. steel	11,20		M		0.003	90329090	CH
0217268001	Heater for packing box 24V; <=DN50	232,10		M		0.290	90329090	CH
0217268004	Heater for packing box 230V; <=DN50	232,10		M		0.280	90329090	CH
0220074001	Adaptor plate for EQJW replacement of Typ41C	46,40		M		0.260	90329090	CH
0220074002	Adaptor plate for EQJW replacement of Typ41D	50,60		M		0.172	90329090	CH
0226187001	Memory, plug-in for Memotime	25,10		M		0.002	90329090	CH
0226187002	Memory, plug-in dummy (spare, as blank)	11,60		M		0.002	90329090	CH
0226187003	Memory, plug-in for Flexotron	26,90		M		0.002	90329090	CH
0226327001	Cover, sealable for ZDR	17,40		M		0.042	90329090	CH
0226504002	Assembly parts; XSP31 für AVP142	70,50		M		0.136	90329090	CH
0226506002	Assembly parts; XSP31 for AV43P10/15, AV44P10	103,40		M		0.156	90329090	CH
0226512003	Assembly parts; XAP for AVP242	70,50		M		0.021	90329090	CH
0226513003	Assembly parts; XAP for AV43, AV44P	103,40		M		0.300	90329090	CH
0226518003	Assembly parts; XAP for AK41P	114,50		M		0.222	90329090	CH
0226519003	Assembly parts; XAP for AK42P	114,50		M		0.212	90329090	CH
0226520003	Assembly parts; XAP for AK43P	114,50		M		0.324	90329090	CH
0226521002	Assembly parts; XSP31 for AK41P	67,00		M		0.120	90329090	CH
0226522002	Assembly parts; XSP31 for AK42P	67,00		M		0.131	90329090	CH
0226523002	Assembly parts; XSP31 for AK43P	67,00		M		0.140	90329090	CH
0226532002	Assembly parts; XSP31G for AV43-44P,AVP142	70,50		M		0.149	90329090	CH
0226551015	Sale 10-250 Pa; RLP as pressure controller	1,40		M		0.001	90329090	CH
0226551017	Scale 20-500 Pa; RLP as pressure controller	1,40		M		0.001	90329090	CH
0226561000	150 scales: full ranges 0-100%;100-0%; for XMP	36,10		M		0.077	90329090	CH
0226562000	150 scales: partial ranges 1/2 seq./single; for XMP	36,10		M		0.077	90329090	CH
0226564000	150 scales: partial ranges 1/3;2/3 single for XMP	36,10		M		0.077	90329090	CH
0226565000	150 scales: partial ranges 1/4;1/4;1/2;3*1/3 seq.XMP	36,10		M		0.077	90329090	CH
0226569000	Block of scales in °C various ranges w/o numbers	60,10		M		0.090	90329090	CH
0226584000	Block of scales in %V partial range 1/3 for XMP	127,90		M		0.077	90329090	CH
0226811060	Pocket LW7;G1/2A L=60 mm; inox	37,50		M		0.087	90329090	CH
0226811120	Pocket LW7;G1/2A L=120mm; inox	40,80		M		0.112	90329090	CH
0226811225	Pocket LW7;G1/2A L=225mm; inox	44,10		M		0.119	90329090	CH
0226811300	Pocket LW7;G1/2A L=300mm; inox	51,50		M		0.136	90329090	CH
0226811450	Pocket LW7;G1/2A L=450mm; inox	60,70		M		0.163	90329090	CH
0226811600	Pocket LW7;G1/2A L=600mm; inox	68,90		M		0.195	90329090	CH
0228234001	Adjustment knob raised grip for TSP	2,70		M		0.002	90329090	CH
0233310000	Cowl, alum.+inspect.glass (+259299=IP54)	70,40		M		0.280	90329090	CH
0259189000	Bracket for off-wall mounting	7,50		M		0.130	90329090	CH
0259239000	Reduction piece G1/2-7/16 20-UNF-2 A	18,40		M		0.076	90329090	CH
0259299000	Cable screw fitting; Pg13.5;metal	2,10		M		0.022	90329090	CH
0259409000	Fixing bracket for off-wall mounting	11,10		M		0.020	90329090	CH
0259735000	Protective sleeve for sensor; for TLC7B17	11,10		M		0.039	90329090	CH
0259983000	Fixing bracket for C-rail EN50022	9,30		M		0.031	90329090	CH
0259984000	Fixing clip, compl. for wall mounting	9,70		M		0.013	90329090	CH
0274282000	Assembly work: valve/drive with AVP142,242,243,244	51,90		M		0.000	00000000	CH
0274354000	Rod with ball joint L=0.6m	38,40		M		0.451	90329090	CH
0274469000	Elbow screw fitting, R1/8A of polyamide	3,20		M		0.004	90329090	CH
0274521000	Manual adjuster for AV43/44 / AVP243/244	554,40		M		2.280	90329090	CH
0274521500	Assembly work: hand-wheel for AV43,AV44,AVP243,AVP2	78,30		M		0.000	00000000	CH

EPL 2011 EURO

0274553000	Restrictor; d=0.7 mm reduces output	10,70	M	0.015 90329090	CH
0274571000	Damping restrictor, d=0.5; Delta-P for RLP	8,70	M	0.002 90329090	CH
0274586000	Ball joint, straight for AK mit XSP31	33,00	M	0.110 90329090	CH
0274587000	Fixing console	16,40	M	0.090 90329090	CH
0274589000	Ball joint, straight, M8	49,20	M	0.114 90329090	CH
0274591000	Fixing bracket	17,00	M	0.281 90329090	CH
0274593000	Ball joint, 90°; M8	14,80	M	0.056 90329090	CH
0274595000	Fixing console for AK41/42P	40,40	M	0.250 90329090	CH
0274595500	Assembly work: console for AK41/42P	26,10	M	0.000 00000000	CH
0274596000	Fixing console for AK43	70,50	M	0.535 90329090	CH
0274596500	Assembly work: console for AK43P	26,10	M	0.000 00000000	CH
0274597000	Coupling piece for AK41/42P	23,30	M	0.093 90329090	CH
0274597500	Assembly work: coupling for AK41/42P	26,10	M	0.000 00000000	CH
0274598000	Coupling piece for AK43P	31,30	M	0.094 90329090	CH
0274598500	Assembly work: coupling for AK43P	26,10	M	0.000 00000000	CH
0274605000	Ball joint, 90°; M10	30,20	M	0.112 90329090	CH
0274700000	Fixing bracket compl; XEP for AV43-44;AVP142	23,20	M	0.100 90329090	CH
0274700500	Assembly work: XEP for AVP142	14,50	M	0.000 00000000	CH
0274730001	Manual adjuster for AVP142 / 242	459,90	M	0.894 90328100	CH
0274730501	Assembly work: hand-wheel for AVP142, AVP242	78,30	M	0.000 00000000	CH
0275490000	Frame for panels	29,70	M	0.129 90329090	DE
0277101000	Blanking plug d=6; short	11,30	M	0.010 90329090	CH
0277299000	Fixing bracket for RVP11	43,60	M	0.100 90329090	CH
0277717000	Screw fitting R1/8 extern of polyamide	3,30	M	0.003 39174000	CH
0277717500	Screw fitting R1/8 extern. of polyamide	1,50	M	0.000 00000000	CH
0277790000	Hose clamp d=6 for T>40°C	0,50	M	0.001 39174000	CH
0277791000	Plug d=6 for tube di=4	10,70	M	0.019 39174000	CH
0277938000	Spherical isolating valve for XFRP	37,20	M	0.150 84819010	CH
0292001000	Calibration;setpoint for DS	20,20	C	0.000 00000000	CH
0292002000	Calibration;switch'g diff. Xsd for DS	8,30	C	0.000 00000000	CH
0292004000	Setpoint sealed for DS	6,40	C	0.000 00000000	CH
0292018001	Damping screw (capillary) for low-viscosity media	15,30	M	0.002 90329090	CH
0292019001	Calibration;setpoint for DFC;DMC	20,20	C	0.000 00000000	CH
0292019002	Setpoint sealed for DFC; DMC	6,40	C	0.000 00000000	CH
0292110001	2 throttle screws Rp1/8 arrests surges; st. steel	52,00	M	0.033 90329090	CH
0292146001	5 capillary-tube holders with adjustable flange set	29,40	M	0.092 90329090	CH
0292150001	Fixing bracket for wall mounting	5,90	M	0.060 90329090	CH
0294148000	Fixing bracket for wall mounting	18,80	M	0.251 90329090	CH
0294967000	Pivot pin for lever 370059; AR30;A44	5,10	M	0.040 90329090	CH
0295449000	Bag of scales for ERA; ERB20	21,00	M	0.008 85169000	CH
0296218000	Union piece plug-in type	13,10	M	0.004 84819010	CH
0296724000	Holder f. sensor cartridge d=9; for wall fitting	4,60	M	0.009 90329090	CH
0296931000	Union piece Rp1/8 internal	11,10	M	0.018 90329090	CH
0296936000	Fixing bracket for rail EN50022	18,50	M	0.013 90329090	CH
0296937000	Fixing clip for rail C-type, EN50024	12,20	M	0.020 90329090	CH
0296938000	Fixing bracket for wall	22,80	M	0.053 90329090	CH
0296980000	Connector M10x1 for plug d=6	23,30	M	0.014 90329090	CH
0296982000	Connector M10x1 internal for plug d=6	33,00	M	0.032 90329090	CH
0296990000	Union piece screw type	20,70	M	0.009 90329090	CH
0297044000	Assembly kit for panel mounting	22,80	M	0.022 90329090	CH
0297091000	Cover for spare gauge bracket	9,90	M	0.008 90329090	CH
0297103000	Bag of scales for RCP adjuster	21,20	M	0.001 90329090	CH
0297112000	Connection nipple M4 for tube d=2,3	11,20	M	0.002 90329090	CH
0297113000	Bracket for pressure gauge snaps on;compl. (Centair)	34,50	M	0.031 90329090	CH
0297133000	Universal scales for RCP adjuster	6,40	M	0.001 90329090	CH
0297162000	T-piece; 1 plug; 2 sockets d=6mm for pneumatic uses	105,00	M	0.104 90329090	CH
0297168000	Set of ancillary material for RCP test (Centair)	212,10	M	0.114 90329090	CH
0297169000	Sealing stick "Plasto-Joint"	23,00	M	0.041 90329090	CH
0297212000	Cover plate for recessed junction box	52,40	M	0.028 90329090	CH
0297277000	Resistor and scale for T=3-6 min	14,10	M	0.001 90329090	CH
0297302000	Fixing bracket for wall mounting	14,10	M	0.065 90329090	CH
0297354000	Connection nipple R1/8 for tube d=4	1,60	M	0.001 90329090	CH
0297354500	Assembly work: nipple for tube d=4	1,60	M	0.000 00000000	CH
0297416001	Housing cover without knob screwed on	9,90	M	0.010 90329090	CH
0297418032	Housing cover with knob 17-27°C;white;screwed	23,70	M	0.010 90329090	CH
0297419001	Housing cover without knob Alu;white;no slit	23,70	M	0.010 90329090	CH
0297441000	Intermediate cover plate pure white	12,80	M	0.036 90329090	CH
0297502000	Installation material additional to XYP3	29,90	M	0.070 90329090	CH
0297508000	Pneumatic service set adjuster & tube removers	52,60	M	0.026 90329090	CH

EPL 2011 EURO

0297546001	Housing cover without knob Alu;white;with slit	29,90	M	0.010 90329090	CH
0297555001	Intermediate cover plate for USA; compl.; white	28,00	M	0.067 90329090	CH
0297557000	Rubber gasket for wall prevents false readings	5,50	M	0.005 90329090	CH
0297560001	Intermediate cover plate large; compl.; white	18,60	M	0.048 90329090	CH
0297631000	Holder for fitting stem d=6 in air duct	15,20	M	0.026 90329090	CH
0297651000	Safety valve; 1.7bar for XFRP	74,60	M	0.112 90329090	CH
0297652000	Fixing kit for XFRP	114,50	M	0.379 90329090	CH
0297653000	Pneum. resistor, 10 Ohm for reduced air output	9,30	M	0.001 90329090	CH
0297680001	Calibration;min./max. for RLP	17,20	C	0.000 00000000	CH
0297680002	Calibration;influence E for RLP	9,60	C	0.000 00000000	CH
0297760001	Calibration;setpoint for TSP;TKP	72,20	C	0.000 00000000	CH
0297760002	Calibration;shift for TSP;TKP	68,90	C	0.000 00000000	CH
0297762001	Damping restrictor, d=0.8; Delta-P for RLP	8,60	M	0.002 90329090	CH
0297772001	Connection nipple M4 for tube di=4	6,90	M	0.003 90329090	CH
0297780001	Housing for operating unit 297783	21,80	M	0.116 90329090	CH
0297797001	Pressure gauge for flow indication	100,50	M	0.010 90329090	CH
0297800001	Manual switch open/closed (low flow)	76,20	M	0.042 90329090	CH
0297832001	Measuring spring for stroke 2m	22,60	M	0.015 90329090	FR
0297838001	Bracket for pressure gauge compl. for 2 XMP	43,50	M	0.061 90329090	CH
0297867001	Reference pressure filter	672,00	M	5.070 90329090	CH
0297870001	Fixing bracket for RLP100	21,70	M	0.248 90329090	CH
0297933001	Assembly parts; XSP31 for AVP242 / 243 / 244	106,10	M	0.350 90329090	CH
0297934001	Assembly parts; XAP for AVP242 / 243 / 244	103,40	M	0.021 90329090	CH
0297935001	Assembly parts; XEP for AVP242 / 243 / 244	23,20	M	0.021 90329090	CH
0297938500	Fitting method 'A';spindle extended	93,30	M	0.000 00000000	CH
0303124000	Recessed junction box	6,80	M	0.027 90329090	CH
0303167000	Capillary-tube holders for averaging sensor	12,50	M	0.053 90329090	CH
0303212000	Holder f. sensor cartridge d=9 in air duct; rubber	6,80	M	0.005 90329090	CH
0303538001	Sealing set for IP55	20,70	M	0.080 90329090	CH
0310315000	Surface junction box for TSUP/HSUP	16,90	M	0.033 90329090	CH
0311572000	Connector G1/2 for copper tube d=6	21,50	M	0.068 90329090	CH
0311835000	Tension relief for sensor in pocket LW7	4,80	M	0.005 90329090	CH
0312134000	Immersion screw fitting for stem;d=6; brass	18,30	M	0.025 90329090	CH
0312135000	Immersion screw fitting for stem;d=6; inox	53,00	M	0.025 90329090	CH
0312520000	Tension relief for sensor cable in pocket	6,50	M	0.010 90329090	CH
0312949000	9scales;0-40/100/130/250 ° 100%&%rF;+/-:35 °C;4 °C;8%rF	7,30	M	0.002 90329090	CH
0313187001	Filter complete replacem't unit;for EGQ110	22,50	M	0.042 90329090	CH
0313214001	Fixing kit for cablesensor (holder, paste, tape)	8,00	M	0.041 90329090	CH
0313220001	Heat-conducting paste 20g in injector	22,20	M	0.032 90329090	CH
0313346001	Module 0-10V for Ni1000; 24V;4 temp.ranges	52,50	M	0.040 90329090	CH
0313347001	Intermediate cover plate for 76 x 76 (electronic)	4,90	M	0.022 90329090	CH
0313367001	Cable temp.detector; 1,5m;NTC;10k	24,00	M	0.056 90329090	CH
0313367003	Cable temp.detector; 3,0m;NTC;10k	34,60	M	0.105 90329090	CH
0313367010	Cable temp.detector; 10m;NTC;10k	73,10	M	0.350 90329090	CH
0313367020	Cable temp.detector; 20m;NTC;10k	82,60	M	0.700 90329090	CH
0313409001	Holder for sensor cartridge in air duct	52,10	M	0.170 90329090	CH
0313414001	Fixing bracket for wall mounting	10,40	M	0.070 90329090	CH
0313529001	Split range unit for sequence mode	38,40	M	0.045 90329090	CH
0313872001	Heating/cooling module with contact output (24 V only)	52,40	M	0.068 90329090	DE
0313991001	Interface cable RS232;accessories Flexotron 700	208,10	M	0.116 90329090	CH
0360388010	Screw fitting DN10; thread for pipe;Rp 3/8i	29,50	M	0.059 73181591099	CH
0360388015	Screw fitting DN15; thread for pipe;Rp 1/2i	35,20	M	0.087 73181591099	CH
0360389010	Screw fitting DN10; thread for pipe;Rp 1/8a	25,20	M	0.065 73181591099	CH
0360389015	Screw fitting DN15; thread for pipe;Rp 3/8a	31,20	M	0.070 73181591099	CH
0360391015	Screw fitting +seal for DN15	28,10	M	0.166 73181591099	CH
0360391025	Screw fitting +seal for DN25	49,10	M	0.460 73181591099	CH
0360391040	Screw fitting +seal for DN40	88,70	M	0.742 73181591099	CH
0360391050	Screw fitting +seal for DN50	130,10	M	1.140 73181591099	CH
0360392020	Counter flange DN20 PN6 for MH32F; MH42F	17,60	C	0.900 84819010	CH
0360392025	Counter flange DN25 PN6 for MH32F; MH42F	20,10	C	1.050 84819010	CH
0360392032	Counter flange DN32 PN6 for MH32F; MH42F	22,90	C	1.300 84819010	CH
0360392040	Counter flange DN40 PN6 for MH32F; MH42F	24,80	C	1.600 84819010	CH
0360392050	Counter flange DN50 PN6 for MH32F; MH42F	27,30	C	1.640 84819010	CH
0360392065	Counter flange DN65 PN6 for MH32F; MH42F	30,10	C	2.100 84819010	CH
0360392080	Counter flange DN80 PN6 for MH32F; MH42F	40,20	C	2.650 84819010	CH
0360392100	Counter flange DN100 PN6 for MH32F; MH42F	45,50	C	3.540 84819010	CH
0360392125	Counter flange DN125 PN6 for MH32F; MH42F	70,40	C	4.790 84819010	CH
0360392150	Counter flange DN150 PN6 for MH32F; MH42F	77,60	C	5.450 84819010	CH
0361632025	2 counter flanges PN6; DN25	38,70	C	2.100 84819010	CH
0361632032	2 counter flanges PN6; DN32	43,10	C	2.100 84819010	CH

EPL 2011 EURO

0361632040	2 counter flanges PN6; DN40	49,10	C	2.500	84819010	CH
0361632050	2 counter flanges PN6; DN50	52,50	C	3.280	84819010	CH
0361632065	2 counter flanges PN6; DN65	66,00	C	4.200	84819010	CH
0361632080	2 counter flanges PN6; DN80	77,60	C	6.700	84819010	CH
0361632100	2 counter flanges PN6; DN100	106,70	C	7.080	84819010	CH
0361632125	2 counter flanges PN6; DN125	136,40	C	9.580	84819010	CH
0361632150	2 counter flanges PN6; DN150	151,80	C	10.900	84819010	CH
0361632200	2 counter flanges PN6; DN200	211,20	C	10.000	84819010	CH
0361633025	2 counter flanges PN10/16; DN25	44,20	C	2.800	84819010	CH
0361633032	2 counter flanges PN10/16; DN32	57,20	C	4.800	84819010	CH
0361633040	2 counter flanges PN10/16; DN40	62,20	C	5.000	84819010	CH
0361633050	2 counter flanges PN10/16; DN50	80,90	C	6.600	84819010	CH
0361633065	2 counter flanges PN10/16; DN65	88,00	C	7.600	84819010	CH
0361633080	2 counter flanges PN10/16; DN80	134,20	C	8.500	84819010	CH
0361633100	2 counter flanges PN10/16; DN100	139,70	C	10.900	84819010	CH
0361633125	2 counter flanges PN10/16; DN125	169,40	C	13.200	84819010	CH
0361633150	2 counter flanges PN10/16; DN150	222,20	C	20.500	84819010	CH
0361633200	2 counter flanges PN10/16; DN200	383,90	C	20.000	84819010	CH
0361634200	2 counter flanges PN10; DN200 (EN1092-1)	257,40	C	5.000	84819010	CH
0361775000	Assembly parts; MH32/42 for AR30	28,70	M	0.307	84819010	SW
0361775500	Assembly work: valve/drive MH32,42 F,R with AR30	35,70	M	0.000	00000000	CH
0361824025	3 threaded sleeves R1/1 for DN25 and flat seal	30,40	M	0.387	84819090	DE
0361824040	3 threaded sleeves R5/4 for DN40 and flat seal	60,60	M	0.673	84819090	DE
0361825028	3 solder nipples d=28 pour DN25 and flat seal	20,20	M	0.188	84819090	DE
0361825035	3 solder nipples d=35 pour DN40 and flat seal	30,40	M	0.527	84819090	DE
0361825042	3 solder nipples d=42 pour DN40 and flat seal	60,60	M	0.100	84819090	DE
0361951015	1Screwfitting+flat sealing G 1 for DN15	5,70	M	0.090	84819090	IT
0361951020	1Screwfitting+flat sealing G 1 1/4 for DN20	8,00	M	0.160	84819090	IT
0361951025	1Screwfitting+flat sealing G 1 1/2 for DN25	11,10	M	0.200	84819090	IT
0361951032	1Screwfitting+flat sealing G 2 for DN32	15,00	M	0.280	84819090	IT
0361951040	1Screwfitting+flat sealing G 2 1/4 for DN40	16,80	M	0.441	84819090	IT
0361951050	1Screwfitting+flat sealing G 2 3/4 for DN50	30,10	M	0.815	84819090	IT
0361977001	Assembly parts; MH32/42 for ASM124	35,10	M	0.213	84819010	VC
0361977002	Assembly parts; MH32/42 for ASM104/105/114/115	16,70	M	0.140	84819010	CH
0361988100	Heater for packing box 230V;L=1m;for AVM/AVF124	198,00	M	0.300	90329090	CH
0361988102	Heater for packing box 24V;L=1m;for AVM/AVF124	198,00	M	0.300	90329090	CH
0361988103	Heater for packing box 230V;VXN/BXN Kabel=3m	214,50	M	0.375	90329090	CH
0362225001	Intermediate cover plate white;for 76x76 (on-off)	4,40	M	0.015	90329090	ES
0362237001	Room-type sensor 75x75 supplement to TSHK681	16,20	M	0.060	90329090	DE
0362238001	Cable detector L=4m supplement to TSHK681	19,60	M	0.150	90329090	DE
0362239001	Intermediate cover plate for TSHK; white	3,40	M	0.032	90329090	DE
0364140000	Tension relief for sensor with capillary tube	1,30	M	0.013	90329090	CH
0364144120	Sensor pressure spring for pocket;LW15;L=120	4,10	M	0.004	90329090	CH
0364144225	Sensor pressure spring for pocket;LW15;L=225	4,10	M	0.007	90329090	CH
0364144300	Sensor pressure spring for pocket;LW15;L=300	4,10	M	0.009	90329090	CH
0364144450	Sensor pressure spring for pocket;LW15;L=450	4,10	M	0.013	90329090	CH
0364258120	Pocket LW15;G1/2A L=120mm; inox	76,00	M	0.081	90329090	CH
0364258225	Pocket LW15;G1/2A L=225mm; inox	76,00	M	0.106	90329090	CH
0364258450	Pocket LW15;G1/2A L=450mm; inox	108,10	M	0.154	90329090	CH
0364258600	Pocket LW15;G1/2A L=600mm; inox	108,10	M	0.189	90329090	CH
0364263000	Weld-on boss for pockets G1/2; steel	15,30	M	0.051	90329090	CH
0364264000	Weld-on boss for pockets G1/2; inox	36,40	M	0.054	90329090	CH
0364345120	Pocket LW7;G1/2A L=120mm;brass	16,40	M	0.120	90329090	DE
0364345225	Pocket LW7;G1/2A L=225mm;brass	18,00	M	0.143	90329090	DE
0364345300	Pocket LW7;G1/2A L=300mm;brass	20,70	M	0.158	90329090	IT
0364345450	Pocket LW7;G1/2A L=450mm;brass	23,00	M	0.191	90329090	DE
0364346120	Pocket LW15;G1/2A L=120mm;brass	18,80	M	0.100	90329090	DE
0364346225	Pocket LW15;G1/2A L=225mm;brass	19,70	M	0.120	90329090	DE
0364346300	Pocket LW15;G1/2A L=300mm;brass	23,00	M	0.139	90329090	DE
0364346450	Pocket LW15;G1/2A L=450mm;brass	26,20	M	0.171	90329090	DE
0364432001	Fixing bracket: duct/wall	12,40	M	0.044	90329090	CH
0364433001	Indicator lamp 250V for monitors	16,30	M	0.004	90329090	CH
0364434001	Sensor supporting coil fitted in air ducts	30,10	M	0.072	90329090	CH
0364435001	2 plugs; d=15 to attain IP40	2,00	M	0.003	90329090	CH
0364439060	Protection tube LW 7 R1/2 Ms;L=60mm	14,80	M	0.058	90329090	DE
0364439120	Protection tube LW 7 R1/2 Ms;L=120mm	14,80	M	0.070	90329090	DE
0364439150	Protection tube, LW 7 R1/2 Ms;L=150mm	14,80	M	0.079	90329090	DE
0364439225	Protection tube, LW 7 R1/2 Ms;L=225mm	14,80	M	0.097	90329090	DE
0364439300	Protection tube, LW 7 R1/2 Ms;L=300mm	19,50	M	0.113	90329090	DE

EPL 2011 EURO

0364440120	Protection tube, LW 15 R 1/2 Ms;L=120mm	19,80	M	0.060	90329090	DE
0368139000	Holder f. sensor cartridge d=5,2 in air duct; rubber	5,10	M	0.004	90329090	CH
0368230000	Plastic housing, grey for wall fitting	99,40	M	0.457	90329090	CH
0368433000	Bag of scales with blank scales for XPES	11,10	M	0.001	90329090	CH
0368839000	Holder for fitting stem in air duct	11,90	M	0.056	90329090	CH
0368840000	Holder for fitting stem on wall	29,50	M	0.041	90329090	CH
0368961001	Terminal cover;short yellow	9,60	M	0.029	90329090	CH
0368962001	Terminal cover;long yellow	12,90	M	0.041	90329090	CH
0369573001	Surface junction box for PEM; white	25,80	M	0.031	90329090	CH
0369573002	Surface junction box for PEM; black	25,80	M	0.039	90329090	CH
0369581001	Bracket for standard rail mounting	102,30	M	0.311	90329090	CH
0369585001	Housing cover, complete pure white	8,00	M	0.061	90329090	CH
0369746001	Cover for front plate transparent	10,60	M	0.038	90329090	CH
0370039000	Connecting nut, M8 3 parts	7,10	M	0.028	90329090	CH
0370040000	Threaded rod M8x500	7,10	M	0.156	90329090	CH
0370059000	Clamp-on lever for d=8-18	11,00	M	0.104	90329090	CH
0370205001	Heating resistor 230V; for A44, AVR	36,20	M	0.066	85169000	CH
0370205002	Heating resistor 24V;for A44;AVR	36,20	M	0.064	85169000	CH
0370205501	Assembly work: heat'g res. 230V	14,50	M	0.000	00000000	CH
0370205502	Assembly work: heat'g res. 24V	14,50	M	0.000	00000000	CH
0370396000	Aux. contacts, triple	81,40	M	0.069	85030095999	CH
0370396500	Assembly work:aux.contacts double, for A44	14,50	M	0.000	00000000	CH
0370479000	Cowl with handle;IP55; galvanised steel	211,10	M	0.553	90329090	CH
0370479500	Assembly work: steel cover zinc-plated; + handle; A44	14,50	M	0.000	00000000	CH
0370486000	Clamp-on lever for square spindles	29,50	M	0.121	90329090	CH
0370493000	Aux. contacts, double	48,30	M	0.048	85030095999	CH
0370493500	Assembly work:aux.contacts double, for A44	14,50	M	0.000	00000000	CH
0370494000	Cable screw fitting; Pg16;metal	17,00	M	0.045	90329090	CH
0370560011	Cable screw fitting; Pg11; Plastic	7,70	M	0.018	90329090	CH
0370560016	Cable screw fitting; Pg16; Plastic	6,10	M	0.028	90329090	CH
0370628000	Adaptor plate for replacing A33 by A44	23,60	M	0.241	90329090	CH
0370633050	Plug socket 3 P + E	20,90	M	0.010	90329090	CH
0370638000	Ball joint, M10, straight for clamp-on lever 370486	20,80	M	0.170	90329090	CH
0370640001	Potentiometer; 2000 Ohm for A44/AVR32	48,60	M	0.082	85333100	CH
0370640002	Potentiometer; 130 Ohm for A44, AVR32	48,60	M	0.082	85333100	CH
0370640006	Potentiometer; 1000 Ohm for A44, AVR32	48,60	M	0.082	85333100	CH
0370641001	Potentiometer; 130/2000 Ohm for A44/AVR32	119,70	M	0.010	85333100	CH
0370641002	Potentiometer; 2k/2k Ohm for A44, AVR32	119,70	M	0.100	85333100	CH
0370641006	Potentiometer; 130/140 Ohm for A44, AVR32	119,70	C	0.100	85333100	CH
0370644001	Set of gears for rotation 90/180°	22,60	M	0.029	90329090	CH
0370644002	Set of gears for rotation 120/150°	22,60	M	0.029	90329090	CH
0370645006	Potentiometer; 1k Ohm(TÜV) for A44	71,50	C	0.010	85333100	CH
0370645007	Potentiometer; 5k Ohm(TÜV) for A44	71,50	M	0.068	85333100	CH
0370645506	Assembly work: pot. 1k Ohm (rigid); for A44	14,50	M	0.000	00000000	CH
0370645507	Assembly work: pot. 5k Ohm (rigid); for A44	14,50	M	0.000	00000000	CH
0370646001	Set of gears for rotation 90°; rigid for A44 (TÜV)	61,70	M	0.027	90329090	CH
0370646002	Set of gears for rotation 120°; rigid for A44 (TÜV)	61,70	M	0.028	90329090	CH
0370715001	Cowl with rubber seal; die-cast aluminium	66,60	M	0.462	90329090	CH
0370715501	Assembly work: cover die-cast aluminium	14,50	M	0.000	00000000	CH
0370772001	Aux. contacts, double	34,30	M	0.050	85030095999	CH
0370772501	Assembly work:aux.contacts for AR30	14,50	M	0.000	00000000	CH
0370774001	Handle for manual adjustm.	6,30	M	0.055	90329090	CH
0370780001	Potentiometer; 2000 Ohm for AR30	48,60	M	0.049	85333100	CH
0370781001	Potentiometer; 130/2k Ohm for AR30	119,70	M	0.075	85333100	CH
0370785001	Position indicator	11,40	M	0.017	90329090	CH
0370819000	Flat-sided hub for lever 370059000	8,50	M	0.020	90329090	CH
0370880001	Stroke indicator for AVM124;AVF124	9,30	M	0.070	90329090	CH
0370881001	Aux.contact for AVM124;AVF124	27,70	M	0.070	85030095999	CH
0370882001	Aux.contact+Pot;2k for AVM124;AVF124	75,40	M	0.070	85030095999	CH
0370882006	Aux.contact+Pot;1k for AVM124;AVF124	75,40	M	0.070	85030095999	CH
0370883001	Potentiometer;2k for AVM124;AVF124	50,40	M	0.070	85333100	CH
0370883006	Potentiometer;1k for AVM124;AVF124	50,40	M	0.070	85333100	CH
0370990001	Aux. contacts, single ASM124/134	36,50	M	0.220	85030095999	CH
0370990002	Aux. contacts, double ASM124/134	55,10	M	0.270	85030095999	CH
0370992001	Potentiometer; 2k Ohm ASM124/134	60,10	M	0.260	85333100	CH
0370992002	Potentiometer 130 Ohm ASM124/134	60,10	M	0.262	85333100	CH
0370997001	Adaptor; rotary to stroke	37,50	M	0.169	90329090	CH
0370998001	Adaptor; rotary to stroke plus plate	53,00	M	0.311	90329090	CH
0371235001	Adaptor; Oventrop for AXT	11,90	M	0.064	84819010	CH

EPL 2011 EURO

0371290001	Cowl+position indicator; die cast aluminium;black	89,60	M	0.495 90329090	CH
0371290501	Assembly work: cover aluminium, black; for A44	14,50	M	0.000 00000000	CH
0371356001	Adaptor; Beulco distributor for AXT	13,90	M	0.064 84819010	CH
0371357001	Adaptor; Giacomini R45 . for AXT	9,10	M	0.016 84819010	CH
0371361001	Adaptor; Herz-TS 90 for AXT	8,80	M	0.041 84819010	DE
0371363001	Adaptor; Tour&Andersson TA	8,80	M	0.040 84819010	DE
0371540001	Protective housing for AXT111	19,60	M	0.087 90329090	CH
0371557001	Auxiliary contact;plug-on for AXT 111	13,50	M	0.105 85030095999	CH
0371916001	Adaptor; Markaryd for AXT	10,20	M	0.060 84819010	CH
0372037001	LON-Modul plug-on unit für ASM104S;ASM114S	247,80	M	90329090	CH
0372145001	Auxiliary contact; single 0-90 °; 5(2)A; 230V;L=1.2m	37,20	M	0.200 85030095999	CH
0372145002	Auxiliary contact; double 0-90 °; 5(2)A; 230V;L=1.2m	56,80	M	0.230 85030095999	CH
0372145125	Auxiliary contact; single 0-90 °; 5(2)A; 230V;L=2.5m	47,70	M	0.280 85030095999	CH
0372200001	Fixing bracket	38,20	M	1.206 90329090	CH
0372201001	Shaft extension with coupling	48,60	M	0.478 90329090	CH
0372202001	Lever+fixing band	8,70	M	0.215 90329090	CH
0372203001	Driver axle for contact unit 370990	19,10	M	0.100 90329090	CH
0372204001	Axis for clamp-on lever 370059	20,90	M	0.248 90329090	CH
0372240001	Manual adjuster for VXN/BXN	23,80	M	0.300 84819010	CH
0372245001	Plug-on unit rotate/linear zu ASF112;124(S)	35,50	M	0.139 90329090	CH
0372245002	Plug-on unit rotate/linear & support plate;ASF112;124	50,40	M	0.248 90329090	CH
0372249001	Adaptor AVM, 100...130 °C, DN15...150	46,30	M	0.315 90329090	CH
0372249002	Adaptor AVM, 130...150 °C, DN15...150	51,10	M	0.300 90329090	CH
0372273001	Adaptor; Siemens for AVM104;114	17,40	M	0.100 84819010	CH
0372286001	Potentiometer; 130 Ohm;_1.2m; ASM/AVM104/114/105/11	59,00	M	0.207 85333100	CH
0372286002	Potentiometer; 1k Ohm;_1.2m; ASM/AVM104/114/105/115	59,00	M	0.192 85333100	CH
0372286003	Potentiometer; 5k Ohm;_1.2m; ASM/AVM104/114/105/115	59,00	M	0.192 85333100	CH
0372300001	torsion protection, long (230mm)	5,00	M	0.090 90329090	CH
0372301001	Adaptionaxle for square spindles; 10 pieces	62,30	M	0.658 90329090	CH
0372320001	Allen key;for ASM,AVM104,114,105,115	1,50	M	0.002 90329090	CH
0372329001	Set of rods and levers; for ASM/AVM104/114	44,90	M	0.606 90329090	CH
0372330001	4KT with Labels; ASM104/114	6,50	M	0.066 90329090	CH
0372332001	Module 230V plug-in; for AVM/AVF /AVN 2*4	53,00	M	0.090 90329090	CH
0372332002	Module 100V plug-in; for AVM/AVF /AVN 2*4	68,30	M	0.090 90329090	CH
0372333001	Aux. contacts, double_for AVM234;AVF234;	67,20	M	0.060 90329090	CH
0372333002	Auxiliary-switch unit, accessory for ASM 224	67,20	M	0.075 90329090	CH
0372334001	Potentiometer; 2 kOhm_for AVM/AVF234	77,00	M	0.040 85333100	CH
0372334002	Potentiometer; 130 Ohm_for AVM/AVF234	77,00	M	0.040 85333100	CH
0372334006	Potentiometer; 1 kOhm_for AVM/AVF234	77,00	M	0.040 85333100	CH
0372336180	Adaptor 130...180 °C; AVM224	56,40	M	0.440 90329090	CH
0372336240	Adaptor 180...240 °; AVM224	92,30	M	0.690 90329090	CH
0372338001	Assembly partsAVM234F132 auf V6/B6 mit Hub 14mm	62,80	M	0.770 90329090	CH
0372338002	Assembly partsAVM234F132 auf V6/B6 mit Hub 40mm	98,30	M	1.200 90329090	CH
0372338003	Assembly parts;AV . 2 ..F132-5/ AVM234S standard	33,00	M	0.160 90329090	CH
0372338004	Assembly parts;AV . 2 ..F132-6/ AVM234S standard	56,80	M	0.700 90329090	CH
0372376010	Adaptor Sauter/Siemens valve, stroke 20 mm	40,30	M	0.151 90329090	CH
0372376014	Adaptor Sauter/Siemens valve, stroke 40 mm	60,10	M	0.264 90329090	CH
0372377001	Adaptor for Sauter/JCI valve	68,30	M	0.622 90329090	CH
0372378001	Adaptor 87-109; Sauter -> Honeywell	73,70	M	0.500 90329090	CH
0372378002	Adaptor 132-171; Sauter -> Honeywell	80,90	M	0.500 90329090	CH
0372386001	Adapterset AV.2.4; Sauter -> LDM	93,90	M	0.500 90329090	CH
0372387001	Mounting Set Sauter-Satchwell VZF1727	62,20	M	0.082 90329090	CH
0372389001	Adapter AV.2.4 Sauter->ITT; DN15-32;stroke 20mm	104,80	M	0.500 90329090	CH
0372389002	Adapter AV.2.4 Sauter->ITT; DN40-50;stroke 35mm	104,80	M	0.500 90329090	CH
0372455001	Assembly part DEF/ASM124,134 DN025-065	56,60	M	0.460 84819010	CH
0372455002	Assembly part DEF/ASM 124,134 DN080-125	56,60	M	0.477 84819010	CH
0372455003	Assembly part DEF/ASM134 DN150-200	60,20	M	0.522 84819010	CH
0372459100	External circuit for AVM105 parallel ASM,AVM104 230V	39,20	M	0.117 90329090	CH
0372459102	External circuit for AVM105 parallel ASM,AVM104 24V	39,20	M	0.112 90329090	CH
0372460001	Cable screw fitting; M20x1.5 PA	7,30	M	0.018 90329090	CH
0372462001	CASE Drives PC-Tool for AVM/ASM105S,115S	208,10	M	0.143 90329090	CH
0374307001	Terminal cover nova260	16,20	M	0.030 90329090	CH
0374381001	Fixing bracket for rail EN50022	13,90	M	0.009 90329090	CH
0374382001	Cord grip 9x d=6-13; 6x d=3-7mm	7,90	M	0.019 90329090	CH
0374383001	Pump logic; plug-in unit 24V~	20,30	M	0.016 90328900	CH
0374383002	Pump logic; plug-in unit 230V~	20,30	M	0.033 90328900	CH
0374534001	Flange TFL611	19,90	M	0.030 90329010	CH
0374677001	Installation Kit for 2-DIN Rail (for EYZ 292 F001)	96,30	M	0.100 90329090	CH
0374680001	Seal, IP 65	32,80	M	0.044 90329090	CH
0378034001	Packing box w/o silicone max.130 °C	39,70	C	0.000 00000000	CH

EPL 2011 EURO

0378038001	Adjustment tool for Kvs-value	7,90	M	0.020 90329090	CH
0378070102	Heater for packing box 24V; L=1m;for AVM104/114	180,40	M	0.058 90329090	CH
0378108001	Assembly parts DEF025-065 / AR30W	38,30	M	0.437 84819010	CH
0378109001	Assembly parts DEF080-100 / AR30W	38,30	M	0.433 84819010	CH
0378110001	Assembly parts DEF025-065 / A44	38,30	M	0.378 84819010	CH
0378111001	Assembly parts DEF080-125 / A44	38,30	M	0.376 84819010	CH
0378112001	Assembly parts DEF150,200 / A44	38,30	M	0.338 84819010	CH
0378113001	Assembly parts DEF25-100 / ASF122;123	41,80	M	0.536 84819010	CH
0378126001	Packing box for valves BUL (3-way)	5,80	M	0.012 84819090	AT
0378128001	Packing box for valves VUL (2-way)	5,80	M	0.012 84819090	FR
0378133010	1 threaded sleeve R3/8 with cap nut and flat seal	3,30	M	0.044 90329090	FR
0378133015	1 threaded sleeve R1/2 with cap nut and flat seal	4,70	M	0.070 90329090	FR
0378133020	1 threaded sleeve R3/4 with cap nut and flat seal	6,40	M	0.115 90329090	FR
0378134010	1solder sleeve D=12mm;DN10 with cap nut and flat seal	3,30	M	0.033 90329090	FR
0378134015	1solder sleeve D=15mm;DN15 with cap nut and flat seal	4,70	M	0.050 90329090	FR
0378134020	1solder sleeve D=22mm;DN20 with cap nut and flat seal	6,40	M	0.090 90329090	FR
0378135010	1 compression fitting D=15mm for DN10	3,50	M	0.025 90329090	FR
0378145015	1 compression fitting for D=15;flat seal 3/4"B	15,60	M	0.105 90329090	FR
0378145020	1 compression fitting for D=22;flat seal 1" B	20,80	M	0.150 90329090	FR
0378263001	End stop for AVM/AVF/AVN2 _4	5,50	M	0.020 90329090	CH
0378263002	End stop (L21,5); AVM/AVF/AVN2 _4	7,50	M	0.020 90329090	CH
0378283001	Teflon stuffing box, complete, brass;for VUG/BUG	70,20	M	0.204 90329090	CH
0378284100	Heater for packing box; 230V VU . , BU . ,	150,70	M	0.093 84819010	CH
0378284102	Heater for packing box; 24V VU . , BU . ,	150,70	M	0.090 84819010	CH
0378285001	Teflon stuffing box, complete, stainless steel;for VUG	76,20	M	0.175 90329090	CH
0378356001	Heater for packing box; VUP DN40 - 80	103,80	M	0.066 84819010	CH
0378357001	Heater for packing box; VUP DN100-150	121,00	M	0.104 84819010	CH
0378368001	Heater for packing box; BUE/VUE/VUD/VUE/VUN/BUN	42,70	M	0.070 84819010	CH
0378369001	Heater for packing box; BUE/VUE/VUD/VUE	66,80	M	0.246 90329090	CH
0378372001	Stuffing box with teflon seal;DN 15...50	83,10	M	0.024 90329090	DE
0378372002	Stuffing box with teflon seal;DN65-100	92,60	M	0.035 90329090	DE
0378372003	Stuffing box with teflon seal;DN125-150	160,60	M	0.037 90329090	DE
0378373001	Stuffing box with graphite seal;DN 15...50	117,70	M	0.172 84819010	DE
0378373002	Stuffing box with graphite seal;DN65-100	130,90	M	0.264 84819010	DE
0378373003	Stuffing box with graphite seal;DN125-150	205,70	M	0.259 84819010	DE
0378384001	Torsion protection VUG, BUG; DN65...150	73,70	M	0.042 90329090	CH
0380696001	Clamp for RAK used as clamp-on sensor	2,30	M	0.017 90329090	CH
0381002001	Submicrofilter for XFRP	759,20	M	1.070 90329090	CH
0381003001	Fine filter with indicator; for XFRP	759,20	M	1.055 90329090	CH
0381007001	Pressure-control device for XFRP	285,60	M	0.458 90322000	CH
0381008001	Pressure gauge for XFRP	50,60	M	0.077 90262000	CH
0381140001	Screw fitting Rp1/8 intern of polyamide	12,20	M	0.004 90329090	CH
0381141001	Sealing ring R1/2 of copper	2,10	M	0.010 90329090	CH
0382050004	Screw-in connector straight;di=4mm;G1/8;brass	5,90	M	0.006 74122010	CH
0382050006	Screw-in connector straight;di=6mm;G1/8;brass	5,90	M	0.007 74122010	CH
0382050008	Screw-in connector straight;di=8mm;G1/8;brass	5,90	M	0.008 74122010	CH
0382051004	T-piece di=4mm;Polymer	10,70	M	0.003 74122010	CH
0382051006	T-piece di=6mm;Polymer	10,90	M	0.006 74122010	CH
0382051008	T-piece di=8mm;Polymer	12,20	M	0.009 74122010	CH
0382052010	T-piece di=10mm;Polymer	13,40	M	0.006 74122010	CH
0382053004	Union piece di=4-6mm;Polymer	11,20	M	0.003 74122010	CH
0382053006	Union piece di=6-8mm;Polymer	11,30	M	0.007 74122010	CH
0382054004	Led-through connector di=4mm;Polymer	10,80	M	0.004 74122010	CH
0382054006	Led-through connector di=6mm;Polymer	12,60	M	0.006 74122010	CH
0382054008	Led-through connector di=8mm;Polymer	14,60	M	0.008 74122010	CH
0382055004	Plug di=4mm;Polymer	2,50	M	0.001 74122010	CH
0382055006	Plug di=6mm;Polymer	2,50	M	0.001 74122010	CH
0382055008	Plug di=8mm;Polymer	3,90	M	0.001 74122010	CH
0382056004	Y-piece di=4-6mm;Polymer	12,60	M	0.010 74122010	CH
0382056006	Y-piece di=6-6mm;Polymer	11,80	M	0.010 74122010	CH
0382057004	Y-piece; screw-in;male; di=4;G1/8;Polymer	16,40	M	0.013 74122010	CH
0382057006	Y-piece; screw-in;male; di=6;G1/8;Polymer	18,30	M	0.013 74122010	CH
0382058008	Screw-in connector male;di=6mm;R3/8;brass	7,50	M	0.021 74122010	CH
0382059006	Elbow screw-on connector d=6mm;G1/8;brass	8,60	M	0.010 74122010	CH
0382059008	Elbow screw-on connector d=8mm;G1/8;brass	9,20	M	0.013 74122010	CH
0382060004	Elbow screw-in connector d=4mm;G1/8;brass	7,50	M	0.070 74122010	CH
0382060006	Elbow screw-in connector d=6mm;G1/8;brass	7,80	M	0.070 74122010	CH
0382060008	Elbow screw-in connector d=8mm;G1/4;brass	9,00	M	0.070 74122010	CH
0382060010	Elbow screw-in connector d=10mm;G3/8;brass	15,80	M	0.200 74122010	CH

EPL 2011 EURO

0382061004	Elbow screw-in rotary conn d=4mm;M5x0.8;Polymer	7,40	M	0.002 39174000	CH
0382062008	T-3-fold plug-in connector d=8-6mm;Polymer	13,70	M	0.002 39174000	CH
0382062010	T-3-fold plug-in connector d=10-8mm;Polymer	33,40	M	0.002 39174000	CH
0382063006	8-fold distributor d=6mm;G1/4;Alu	88,70	M	0.198 74122010	CH
0382063008	6-fold distributor d=8mm;G3/8;Alu	88,70	M	0.191 74122010	CH
0382064007	Through ball valve G3/8;brass+Polymer	35,90	M	0.124 74122010	CH
0382126001	Junction box for recessed mounting (3 compartments)	16,20	M	0.090 90329090	CH
0385902000	Empty EPROM 1 Mbit (User-EPROM) for EYR 207	14,30	M	0.012 85423100	CH
0386263001	Cable screw fitting;_M16 x 1,5	2,30	M	0.006 90329090	CH
0386263002	Cable screw fitting;_M20 x 1,5	3,10	M	0.012 90329090	CH
0386273001	Mains adaptor;L=1.8m; 230V/24V;4mA/380mA	50,80	M	0.400 85044040	DE
0386301001	Connecting cable 3,0m;291-PC;novaNet	89,80	M	0.300 85442020	CH
0386501001	Mains adaptor, AC/AC;24V/50VA < 24 actuators	37,00	M	0.700 85044040	SW
0386501002	Mains adaptor, AC/AC;24V/20VA < 10 actuators	19,60	M	0.450 85044040	SW
0386507001	Câble Crossover Ethernet, 3 m, CAT-5	48,20	M	0.128 85442020	CH
0430240010	Surface junction box set FCCP100	24,10	M	0.032 90329090	CH
0430240020	Recessed junction box set FCCP 100	24,10	M	0.016 90329090	CH
0510240001	Mounting kit for VKR / BKR	56,70	M	0.283 84819090	CH
0510420001	Temperature adapter, medium temp. > 100 °C	46,40	M	0.270 84819090	CH
0510480001	Auxiliary change-over switch single	38,20	M	0.200 85030095999	CH
0510480002	Auxiliary change-over switch double	61,10	M	0.228 85030095999	CH
0520450010	PC - USB connection set;software included	899,90	M	0.155 85234010	CH
0550240001	Demontageschutz;zu AXT/AXS2..	4,20	M	0.020 90329090	CH
0550390001	M30x1,5 H/HN/HS;4,5-18,5 NC/ 8,5-22,5 NO	4,20	M	0.012 90329090	CH
0550390101	M28x1,5 H/HN/HS;4,5-18,5 NC/ 8,5-22,5 NO	4,20	M	0.012 90329090	CH
0550390201	M30x1 H/HN/HS;4,5-18,5 NC/ 8,5-22,5 NO	4,20	M	0.012 90329090	CH
0550393001	Adapter Danfoss RA2000;22mm	8,70	M	0.028 90329090	DE
0550393002	Adapter Danfoss RAVL;26mm	15,60	M	0.060 90329090	CH
0550393003	Adapter Danfoss RAV;34mm	15,60	M	0.074 90329090	CH
0550394001	Adapter Giacomini;zu R45 und Prog60	5,20	M	0.013 90329090	CH
0550399001	Adapterset Universal;M30,M28,M30x1,Danf &Giacom	17,90	M	0.058 90329090	CH
0550423121	Steckermodul 0-10V,2m;zu AXS2...PVC,3x0,22,H03	34,70	M	0.075 85446092	VC
0550423123	Steckermodul 0-10V,HF,2m;zu AXS2...3x0,22,H03	45,10	M	85446092	VC
0550423151	Steckermodul 0-10V,5m;zu AXS2...PVC,3x0,22,H03	44,50	M	85446092	VC
0550423153	Steckermodul 0-10V,HF,5m;zu AXS2...3x0,22,H03	57,40	M	85446092	VC
0550423171	Steckermodul 0-10V,7m;zu AXS2...PVC,3x0,22,H03	48,60	M	85446092	VC
0550423173	Steckermodul 0-10V,HF,7m;zu AXS2...3x0,22,H03	61,50	M	85446092	VC
0550423221	Steckermodul 0-10V,2m,NO;zu AXS2...PVC,3x0,22,H03	34,70	M	0.075 85446092	VC
0550423251	Steckermodul 0-10V,5m,NO;zu AXS2...PVC,3x0,22,H03	44,50	M	85446092	VC
0550423271	Steckermodul 0-10V,7m,NO;zu AXS2...PVC,3x0,22,H03	48,60	M	85446092	VC
0550484121	Steckermodul HK,2m,4x0,5;zu AXT2...PVC,H03,NC	13,30	M	0.123 85446092	VC
0550484221	Steckermodul HK,2m,4x0,5;zu AXT2...PVC,H03,NO	13,60	M	0.128 85446092	VC
0550602021	Steckermodul 2m,2x0,5;zu AXT2...PVC,H03	5,90	M	0.082 85446092	VC
0550602023	Steckermodul 2m;HF;2x0.75;zu AXT2...;Halogenfrei;H05	10,40	M	0.100 85446092	VC
0550602032B	Steckermodul 3m;2x0;75;zu AXT2...PVC;H05; sw	9,40	M	0.137 85446092	VC
0550602042	Steckermodul 4m;2x0;75;zu AXT2...PVC;H05	10,80	M	0.188 85446092	VC
0550602052	Steckermodul 5m;2x0;75;zu AXT2...PVC;H05	12,10	M	0.232 85446092	VC
0550602052B	Steckermodul 5m;2x0;75;zu AXT2...PVC;H05;sw	12,10	M	0.220 85446092	VC
0550602053	Steckermodul 5m;HF;2x0.75;zu AXT2...;Halogenfrei;H05	15,60	M	0.218 85446092	VC
0550602062	Steckermodul 6m;2x0;75;zu AXT2...PVC;H05	13,90	M	0.281 85446092	VC
0550602072	Steckermodul 7m;2x0;75;zu AXT2...PVC;H05	16,30	M	0.260 85446092	VC
0550602102	Steckermodul 10m;2x0;75;zu AXT2...PVC;H05	29,20	M	0.432 85446092	VC
0550602102B	Steckermodul 10m;2x0;75;zu AXT2...PVC;H05;sw	29,20	M	0.432 85446092	VC
0550602103	Steckermodul 10m;HF;2x0.75;zu AXT2...;Halogenfrei;H05	36,40	M	0.466 85446092	VC
0550602152	Steckermodul 15m;2x0;75;zu AXT2...PVC;H05	37,10	M	0.681 85446092	VC
0550602152B	Steckermodul 15m;2x0;75;zu AXT2...PVC;H05;sw	37,10	M	0.640 85446092	VC
0560283015	1 screw fitting for female thread made in brass DN15	6,70	M	0.103 84819090	IT
0560283020	1 screw fitting for female thread made in brass DN20	9,50	M	0.162 84819090	IT
0560283025	1 screw fitting for female thread made in brass DN25	14,30	M	0.284 84819090	IT
0560283032	1 screw fitting for female thread made in brass DN32	19,30	M	0.403 84819090	IT
0560283040	1 screw fitting for female thread made in brass DN40	31,20	M	0.604 84819090	IT
0560283050	1 screw fitting for female thread made in brass DN50	54,10	M	1.150 84819090	IT
0560332015	Strainer made from gun metal, PN16, -10 ...150 °C, DN15	24,40	M	0.190 84819090	IT
0560332020	Strainer made from gun metal, PN16, -10 ...150 °C, DN20	32,00	M	0.230 84819090	IT
0560332025	Strainer made from gun metal, PN16, -10 ...150 °C, DN25	41,80	M	0.423 84819090	IT
0560332032	Strainer made from gun metal, PN16, -10 ...150 °C, DN32	67,90	M	0.703 84819090	IT
0560332040	Strainer made from gun metal, PN16, -10 ...150 °C, DN40	81,40	M	0.906 84819090	IT
0560332050	Strainer made from gun metal, PN16, -10 ...150 °C, DN50	132,00	M	1.409 84819090	IT
0570260001	Presse-étoupe;DN10-32	12,20	M	0.033 90329090	DE
0570360001	Presssure measurement nippel;set of 2	11,70	M	0.103 90329090	DE

EPL 2011 EURO

0900240001	Terminal covers 240 mm 2 pcs.	21,40	M	0.090 90329090	CH
0900240002	Terminal covers 295 mm 2 pcs.	26,80	M	0.070 90329090	CH
0900240010	Wiring box 240 mm	64,30	M	0.360 90329090	CH
0900240011	Wiring box 295 mm	82,10	M	0.452 90329090	CH
0920240010	Mounting kit for EYW300	45,50			
0930240511	Panel fitting kit,with RJ-11 cable(6m)quadruple	225,40	M	0.430 90329090	CH
0930240540	Connecting adaptor for EY-LO	97,10	M	0.056 90329090	CH
0930240541	Connecting adaptor for EY-OP	90,20	M	0.056 90329090	CH
0940240010	Klemmenabdeckung mit Kabel;befestigung modulo 4	24,50	M	0.085 90329090	CH
0940240101	Frame single; Mounting plate; Recessed; 10 pcs.	71,40	M	0.510 90329090	CH
0940240201	Frame double; Mounting plate; Recessed; 10 pcs.	107,10	M	0.830 90329090	CH
0940240301	Single orifi ce plate; for wall mounting	89,30	M	0.530 90329090	CH
0940240401	Double orifi ce plate; for wall mounting	125,00	M	0.800 90329090	CH
0940240501	Double cable cover; for surface mounting cable duct	71,40	M	0.170 90329090	CH
0940240601	Double cable cover; for surface mounting cable duct	125,00	M	0.220 90329090	CH
0940240701	Mounting plate single; non-Sauter frame; 10 pcs.	35,70	M	0.260 90329090	CH
0940240702	Fixing plate, single, type 2 (10 pcs)	135,70	M	0.244 90329090	CH
0940240751	Adaptor frame, 0.5 mm (10 pcs)	32,10	M	0.015 90329090	CH
0940240752	Adaptor frame, 1.0 mm (10 pcs)	50,00	M	0.020 90329090	CH
0940240753	Adaptor frame, 1.5 mm (10 pcs)	46,40	M	0.026 90329090	CH
0940240755	Adaptor frame F1; (10 pcs)	50,00	M	0.046 90329090	CH
0940240801	Mounting plate double; non Sauter Frame; 10 pcs.	53,60	M	0.430 90329090	CH
0949241301	Cover transparent for EY-RU, SU and EGT	71,40	M	0.109 90329090	CH
5658803000	Polyurethane hose natural for pneumatic uses	3,00	M	0.020 39173200	CH
5658804000	Polyurethane hose black;for pneumatic uses	3,00	M	0.019 39173200	CH
5658805000	Polyurethane hose red;for pneumatic uses	3,00	M	0.024 39173200	CH
5658806000	Polyurethane hose green;for pneumatic uses	2,90	M	0.020 39173200	CH
5658900000	1 roll flex-tube 100m;da=8;di=5.5;black	371,70	M	2.000 39173200	CH
5658901000	1 roll flex-tube 100m;da=6;di=4;black	239,40	M	2.000 39173200	CH
5658902000	1 roll flex-tube 100m;da=8;di=5.5;red	371,70	M	2.000 39173200	CH
5658903000	1 roll flex-tube 100m;da=4;di=2.5;green	123,90	M	2.000 39173200	CH
5658904000	1 roll flex-tube 100m;da=6;di=4;red	239,30	M	2.000 39173200	CH
5658905000	1 roll flex-tube 100m;da=8;di=5.5;blue	371,70	M	2.000 39173200	CH
5658906000	1 roll flex-tube 100m;da=6;di=4;yellow	239,40	M	2.000 39173200	CH
5658907000	1 roll flex-tube 100m;da=4;di=2.5;yellow	123,90	M	2.000 39173200	CH
5658920000	1 roll double flex-tube 25m;da=6;di=4;black+blue	299,30	M	2.000 39173200	CH
7090134000	2 Holder for bussines card transparent;self-adhesive	3,10	M	0.035 49111090	CH
A44W0F001	Motor drive 230V;90°=30s	912,90	M RA	2.117 85011010	CH
A44W0F020	Motor drive 24V;90°=30s	912,90	M RA	2.158 85011010	CH
A44W0SF001	Motor drive;positioner 24V;90°=30s	1096,50	M RA	2.300 85011010	CH
A44W1F001	Motor drive 230V;90°=60s	912,90	M RA	2.118 85011010	CH
A44W1F020	Motor drive 24V~ 90°=60s	912,90	M RA	2.159 85011010	CH
A44W1SF001	Motor drive;positioner 24V;90°=60s	1096,50	M RA	2.317 85011010	CH
A44W2F001	Motor drive 230V;90°=120s	793,60	M RA	2.130 85011010	CH
A44W2F020	Motor drive 24V;90°=120s	793,60	M RA	2.137 85011010	CH
A44W2SF001	Motor drive;positioner 24V;90°=120s	933,30	M RA	2.295 85011010	CH
AK31P1F001	Pneumatic actuator 0.3-0.9bar	78,80	M	0.353 90328100	CH
AK31P2F001	Pneumatic actuator 0.2-0.6bar	78,80	M	0.375 90328100	CH
AK31P3F001	Pneumatic actuator 0.6-1.0bar	78,80	M	0.416 90328100	CH
AK41P1F003	Pneumatic actuator 0.3-0.9bar	105,10	M	0.600 90328100	CH
AK41P2F003	Pneumatic actuator 0.2-0.6bar	115,40	M	0.600 90328100	CH
AK41P3F003	Pneumatic actuator 0.6-1.0bar	115,40	M	0.600 90328100	CH
AK42PF003	Pneumatic actuator 0.3-0.9bar	229,70	M	1.470 90328100	CH
AK43PF002	Pneumatic actuator 0.3-0.9bar	783,80	M	5.256 90328100	CH
AKF112F120	Actuator;spring return;2pt;230V;90°=90s;7Nm	278,50	M	1.620 85011010	CH
AKF112F122	Actuator;spring return;2pt;24V;90°=90s;7Nm	259,10	M	1.250 85011010	CH
AKF113F122	Actuator;spring return;3pt;24V;90°=90s;7Nm	271,30	M	1.240 85011010	CH
AKF113SF122	Actuator;spring posit'ner;24V;90°=90s;7Nm;0-10V	293,80	M	1.254 85011010	CH
AKM105F100	Rotary drive f. ball valve;2/3pt;230V~;30s, 90°	123,40	M	0.700 85011020	CH
AKM115F120	Rotary drive f. ball valve;2/3pt;230V~;120s, 90°	116,30	M	0.761 85011020	CH
AKM115F122	Rotary drive f. ball valve;2/3pt;24V~;120s, 90°	116,30	M	0.700 85011020	CH
AKM115SF132	Rotary drive f. ball valve;24V;0-10V;90°=30/60/120s	137,70	M	0.710 85011020	CH
AR30W21F001	Motor drive 230V;90°=30s	362,30	M	1.065 85011010	CH
AR30W21F020	Motor drive 24V;90°=30s	362,30	M	1.061 85011010	CH
AR30W22F001	Motor drive 230V;90°=60s	362,30	M	1.085 85011010	CH
AR30W22F020	Motor drive 24V;90°=60s	362,30	M	1.083 85011010	CH
AR30W22SF020	Motor drive;positioner 24V;90°=60s	637,40	M RA	1.202 85011010	CH
AR30W23F001	Motor drive 230V;90°=120s	278,30	M	1.095 85011010	CH
AR30W23F020	Motor drive 24V;90°=120s	278,30	M	1.093 85011010	CH

EPL 2011 EURO

AR30W23SF020	Motor drive;positioner 24V;90°=120s	485,10	M	RA	1.212	85011010	CH
ASF112F120	Actuator;spring return;2pt 230V;90°=90s;7Nm;	248,90	M		1.428	85011010	CH
ASF112F122	Actuator;spring return;2pt 24V~;24...48V=;90°=90s;7Nm	227,50	M		1.226	85011010	CH
ASF112F220	Actuator;spring return;2pt 230V;90s;7Nm;contact aux.	306,00	M		1.569	85011010	CH
ASF112F222	Act.;spring ret.2pt 24V~;24...48V=;90s;7Nm;cont. aux.	278,50	M		1.369	85011010	CH
ASF113F122	Actuator;spring return;3pt 24V~;24...48V=;;90°=90s;7Nm	242,80	M		1.242	85011010	CH
ASF113SF122	Actuator;spring;posit'ner 24V;90°=90s;7Nm;0-10V	263,20	M		1.254	85011010	CH
ASF122F120	Actuator;spring return;2pt 230V;90°=90s;18Nm	305,00	M		2.670	85011010	CH
ASF122F122	Actuator;spring return;2pt 24V~;24...48V=;90s;18Nm	281,50	M		2.324	85011010	CH
ASF122F220	Actuator;spring return;2pt 230V;90s;18Nm;cont.auxil.	360,10	M		2.767	85011010	CH
ASF122F222	Actuator;spring return;2pt 24V~;24...48V=;90s;18Nm;aux	338,60	M		2.493	85011010	CH
ASF123F122	Actuator;spring return;2pt 24V~;90°=90s;18Nm	305,00	M		2.300	85011010	CH
ASF123SF122	Actuator;spring;posit'ner 24V;90°=90s;18Nm;0-10V	346,80	M		2.344	85011010	CH
ASM105F100	Actuator 2/3pt;230V~;30s;5Nm	110,20	M		0.780	85011020	CH
ASM105F120	Actuator 2/3pt;230V~;90°=120s;5Nm	99,50	M		0.790	85011020	CH
ASM105F122	Actuator 2/3pt;24V~;90°=120s;5Nm	99,50	M		0.782	85011020	CH
ASM105LF132	Valve drive LON ;24V~;90°=35/60/120s;5Nm	369,20	M		0.770	85011020	CH
ASM105SF132	Valve drive; 24V~;90°=30/60/120s;5Nm	133,60	M		0.820	85011020	CH
ASM105SF152	Fast-action damper drive with SUT 5 Nm	239,80	M		0.820	85011020	CH
ASM115F120	Actuator 2/3pt;230V~;90°=120s;10Nm	113,20	M		0.775	85011020	CH
ASM115F122	Actuator 2/3pt;24V~;90°=120s;10Nm	113,20	M		0.782	85011020	CH
ASM115LF132	Valve drive LON; 24V~;90°=60/120s;5Nm	403,90	M		0.800	85011020	CH
ASM115SF132	Valve drive ;24V~;90°=30/60/120s;10Nm	158,10	M		0.800	85011020	CH
ASM115SF152	Fast-action damper drive with SUT 10 Nm	271,70	M		0.800	85011020	CH
ASM124F120	Actuator;2/3pt 230V;90°=60/120s;15Nm	153,00	M		1.570	85011010	CH
ASM124F122	Actuator; 2/3pt 24V;90°=60/120s;15Nm	153,00	M		1.570	85011010	CH
ASM124SF132	Actuator;SUT 24V;90°=60/120s;15Nm;0-10V	231,50	M		1.625	85011010	CH
ASM134F130	Actuator 230V;90°=120/240s;30Nm	236,60	M		1.710	85011010	CH
ASM134SF132	Actuator;SUT 24V;90°=120/240s;30Nm	262,10	M		1.610	85011010	CH
ASV115CF132D	VAV-Compact, ASV115, 150Pa, 30..120s	365,20	M		0.800	85011020	CH
ASV115CF132E	VAV-Compact, ASV115, 300Pa, 30..120s	365,20	M		0.800	85011020	CH
ASV115CF132I	VAV-Compact, ASV115, 150Pa, 30..120s	373,30	C		0.800	85011020	CH
ASV115CF132K	VAV-Compact, ASV115, 300Pa, 30..120s	373,30	C		0.800	85011020	CH
ASV115CF152D	VAV - Valve drive ASV115;Pharma 150Pa; 24VAC; 3..5s	610,00	M	RA	0.744	85011020	CH
ASV115CF152E	VAV - Valve drive ASV115;Pharma 300Pa; 24VAC; 3..5s	610,00	M	RA	0.755	85011020	CH
AVF124F130	Valve drive;spring return 230V;8mm=60/120s;3pt;NC	384,50	M		2.774	85011010	CH
AVF124F230	Valve drive;spring return 230V;8mm=60/120s;3pt;NO	384,50	M		2.838	85011010	CH
AVF125SF132	Valve drive;spring ret;pos 24V;8mm=60/120s;0-10V;NC	395,80	M		2.530	85011010	CH
AVF125SF232	Valve drive;spring ret;pos 24V;8mm=60/120s;0-10V;NO	395,80	M		2.681	85011010	CH
AVF234SF132	Valve drive;spring ret;pos_NC; DN15-150	621,20	M	RA	6.000	85011010	CH
AVF234SF132-5	Valve drive;spring ret;pos_NC; DN15-50;V6/B6	639,50	M	RA	6.000	85011010	CH
AVF234SF132-6	Valve drive;spring ret;pos_NC; DN65-150;V6/B6	698,70	M	RA	6.200	85011010	CH
AVF234SF232	Valve drive;spring ret;pos_NO; DN15-150	621,20	M	RA	5.900	85011010	CH
AVM105F100	Valve drive;230V~;8mm=30s;250N	137,70	M		0.750	85011020	CH
AVM105F120	Valve drive;230V~;8mm=120s;250N	115,30	M		0.750	85011020	CH
AVM105F122	Valve drive;24V~;8mm=120s;250N	115,30	M		0.763	85011020	CH
AVM105SF132	Valve drive;SUT 24V;8mm;30/65/120s;250N;	126,50	M		0.800	85011020	CH
AVM115F120	Valve drive;230V~;8mm=120s;500N	146,90	M		0.761	85011020	CH
AVM115F122	Valve drive;24V~;8mm=120s;500N	146,90	M		0.800	85011020	CH
AVM115F901	Valve drive;230V~;10mm=160s;500N	146,90	M		0.761	85011020	CH
AVM115SF132	Valve drive;SUT 24V;8mm;30/60/120s;500N;	167,30	M		0.793	85011020	CH
AVM115SF901	Valve drive;SUT 24V;10mm;80/60s;500N;	167,30	M		0.793	85011020	CH
AVM124F130	Valve drive;3pt 230V;8mm=30/60/120s;800N;	246,80	M		2.280	85011010	CH
AVM125SF132	Valve drive;positioner 24V~;8mm=30/60s;0-10V;800N;	270,30	M		2.140	85011010	CH
AVM234SF132	Valve drive + ass. with valve24V; für DN 15-150, VU/BU	475,30	M	RA	4.400	85011010	CH
AVM234SF132-5	Valve drive + assembling with valve V6/B6; DN 15-50	495,70	M	RA	4.436	85011010	CH
AVM234SF132-6	Valve drive + assembling with valve V6/B6; DN 65-150	572,20	M	RA	4.864	85011010	CH
AVN224SF132	Valve drive safety function: SR_NC; für DN15-150	670,10	M	RA	5.750	85011010	CH
AVN224SF132-5	Valve drive; DN 15-50	689,50	M	RA	5.750	85011010	CH
AVN224SF132-6	Valve drive; DN65-150	766,00	M	RA	6.200	85011010	CH
AVN224SF232	Valve drive safety function: SR_NO; für DN15-150	670,10	M	RA	6.000	85011010	CH
AVP142F001	Pneumatic valve drive 0.3-0.9bar;w/o silicone	372,80	M		2.025	90328100	CH
AVP142F002	Pneumatic valve drive 0.2-0.5bar;w/o silicone	372,80	M		1.946	90328100	CH
AVP142F003	Pneumatic valve drive 0.7-1.0bar;w/o silicone	372,80	M		2.061	90328100	CH
AVP242F001	Pneumatic valve drive; Full ranges 8 mm stroke	438,90	M		3.700	90328100	CH
AVP242F021	Pneumatic valve drive; Full ranges 20 mm stroke	438,90	M		3.700	90328100	CH
AVP243F021	Pneumatic valve drive; Full ranges 20 mm stroke	826,40	M		5.727	90328100	CH
AVP243F031	Pneumatic valve drive; Full ranges 40 mm stroke	826,40	M		5.457	90328100	CH
AVP244F021	Pneumatic valve drive; Full ranges 20 mm stroke	1557,20	M		13.760	90328100	CH
AVP244F031	Pneumatic valve drive; Full ranges 40 mm stroke	1557,20	M		12.815	90328100	CH

EPL 2011 EURO

AXM117F200	Small motor drive;3point 230V;3mm=60s	104,00	M	0.260	85011020	IT
AXM117F202	Small motor drive;3point 24V;3mm=60s	104,00	M	0.200	85011020	IT
AXM117SF202	Small motor drive;pos'ner 24V;3mm=60s;0-10V;A	137,70	M	0.202	85011020	IT
AXM117SF252	Small motor drive;3point 24V;L=5m;3mm=60s;0-10V;A	142,80	M	0.250	85011020	IT
AXM117SF302	Small motor drive;pos'ner 24V; 3mm=60s; 0-10V;B	137,70	M	0.207	85011020	IT
AXM117SF402	Small motor drive;pos'ner 24V; 3mm=60s; 0-5-10V;A/B	137,70	M	0.210	85011020	IT
AXS111SF202	Continuous drive for unit valves 24V~;NC;2m;stroke in.	73,70	M	0.210	90328900	CH
AXS111SF252	Continuous drive for unit valves 24V~;NC;5m;stroke in.	84,70	M	0.300	90328900	CH
AXS111SF272	Continuous drive for unit valves 24V~;NC;7m;stroke in.	89,10	C	0.300	90328900	CH
AXS111SF402	Continuous drive for unit valves 24V~;NC;2,0m	73,70	M	0.202	90328900	CH
AXS215SF122	Continuous drive for unit valves 24V~;NC;2m	63,20	M		90328900	CH
AXS215SF122B	Continuous drive for unit valves 24V~;NC;2m, b/w	63,20	M		90328900	CH
AXS215SF222	Continuous drive for unit valves 24V~;NO;2m	63,20	M		90328900	CH
AXS215SF222B	Continuous drive for unit valves 24V~;NO;2m, b/w	63,20	M		90328900	CH
AXT111F200	Thermal drive+stroke indic 230V;NC (NO);L=1,2m	30,90	M	0.165	90328900	CH
AXT111F201	Thermal drive+stroke indic 110V;NC (NO);L=1,2m	31,90	C	0.162	90328900	CH
AXT111F202	Thermal drive+stroke indic 24V;NC (NO);L=1,2m	30,90	M	0.162	90328900	CH
AXT111F210	Thermal drive+stroke indic 230V; NC;2m;contact aux.	41,00	M	0.250	90328900	CH
AXT111F212	Thermal drive+stroke indic 24V; NC;2m ;contact aux.	41,00	M	0.250	90328900	CH
AXT111F220	Thermal drive+stroke indic 230V;NC (NO);L=2,0m	33,80	M	0.190	90328900	CH
AXT111F222	Thermal drive+stroke indic 24V;NC (NO);L=2,0m	33,80	M	0.188	90328900	CH
AXT111F230	Thermal drive+stroke indic 230V;NC (NO);L=3m	38,00	C	0.190	90328900	CH
AXT111F232	Thermal drive+stroke indic 24V;NC (NO);L=3,0m	38,00	M	0.190	90328900	CH
AXT111F240	Thermal drive+stroke indic 230V;NC (NO);L=4m	39,80	C	0.250	90328900	CH
AXT111F242	Thermal drive+stroke indic 24V;NC (NO);L=4,0m	39,80	C	0.210	90328900	CH
AXT111F250	Thermal drive+stroke indic 230V;NC (NO);L=5m	42,00	C	0.250	90328900	CH
AXT111F252	Thermal drive+stroke indic 24V;NC (NO);L=5,0m	42,00	M	0.250	90328900	CH
AXT111F270	Thermal drive+stroke indic 230V;NC (NO);L=7m	46,80	C	0.290	90328900	CH
AXT111F272	Thermal drive+stroke indic 24V;NC (NO);L=7,0m	46,80	C	0.290	90328900	CH
AXT111F280	Thermal drive+stroke indic 230V;NC (NO);L=10m	53,60	C	0.370	90328900	CH
AXT111F282	Thermal drive+stroke indic 24V;NC (NO);L=10m	53,60	C	0.370	90328900	CH
AXT111F290	Thermal drive+stroke indic 230V;NC (NO);L=15m	61,40	C	0.370	90328900	CH
AXT111F292	Thermal drive+stroke indic 24V;NC (NO);L=15m	61,40	C	0.210	90328900	CH
AXT111F500	Thermal drive+stroke indic 230V;NC(NO);L=1,2m,bajonett	30,90	M	0.162	90328900	CH
AXT111F502	Thermal drive+stroke indic 24V;NC (NO);L=1,2m, bajonet	30,90	M	0.162	90328900	CH
AXT111F552	Thermal drive+stroke indic 24V;NC (NO);L=5,0m, bajonet	42,00	C	0.260	90328900	CH
AXT201F110	Thermal valve drive;230V;NC;L=0,5m;2Pkt;wh	29,40	M	0.175	90328900	CH
AXT201F112	Thermal valve drive;24V;NC;L=0,5m;2Pkt;wh	29,40	M	0.180	90328900	CH
AXT211F110	Thermal valve drive;230V;NC;L=1m;2Pkt;wh	29,40	M	0.179	90328900	CH
AXT211F110B	Thermal valve drive;230V;NC;L=1m;2Pkt;bl	29,40	M	0.179	90328900	CH
AXT211F110M	Thermal valve drive;230V;NC;L=1m;2Pkt;wh,man.	31,10	M	0.180	90328900	CH
AXT211F112	Thermal valve drive;24V;NC;L=1m;2Pkt;wh	29,40	M	0.180	90328900	CH
AXT211F112B	Thermal valve drive;24V;NC;L=1m;2Pkt;bl	29,40	M	0.180	90328900	CH
AXT211F112M	Thermal valve drive;24V;NC;L=1m;2Pkt;wh,man	31,10	M	0.183	90328900	CH
AXT211F190	Thermal valve drive;230V;NC;w.outcabel;2Pkt;wh	25,00	M	0.098	90328900	CH
AXT211F192	Thermal valve drive;24V;NC;w.outcabel;2Pkt;wh	25,00	M	0.100	90328900	CH
AXT211F210	Thermal drive;230V;NO;L=1m;2Pkt;wh	29,40	M	0.170	90328900	CH
AXT211F212	Thermal valve drive;24V;NO;L=1m;2Pkt;wh	29,40	M	0.180	90328900	CH
AXT211HF110	Thermal valve drive;230V;NC;L=1m;2Pkt;wh,HK	39,70	M	0.200	90328900	CH
AXT211HF112	Thermal valve drive;24V;NC;L=1m;2Pkt;wh, HK	39,70	M	0.208	90328900	CH
AXT211HF210	Thermal valve drive;230V;NO;L=1m;2Pkt;wh,HK	39,70	M	0.207	90328900	CH
AXT211HF212	Thermal valve drive;24V;NO;L=1m;2Pkt;wh, HK	39,70	M	0.208	90328900	CH
B6R15F200	3way valve;female thread PN16;DN15;Kvs=4.0;lin	348,70	M	1.154	84818090	CH
B6R15F300	3way valve;female thread PN16;DN15;Kvs=4.0;=%	348,70	M	1.155	84818090	CH
B6R15F310	3way valve;female thread PN16;DN15;Kvs=2.5;=%	348,70	M	1.161	84818090	CH
B6R15F320	3way valve;female thread PN16;DN15;Kvs=1.6;=%	348,70	M	1.115	84818090	CH
B6R15F330	3way valve;female thread PN16;DN15;Kvs=1.0;=%	348,70	M	1.122	84818090	CH
B6R25F200	3way valve;female thread PN16;DN25;Kvs=10;lin	354,20	M	1.615	84818090	CH
B6R25F210	3way valve;female thread PN16;DN25;Kvs=6.3;lin	354,20	M	1.625	84818090	CH
B6R25F300	3way valve;female thread PN16;DN25;Kvs=10;=%	354,20	M	1.612	84818090	CH
B6R25F310	3way valve;female thread PN16;DN25;Kvs=6.3;=%	354,20	M	1.612	84818090	CH
B6R40F200	3way valve;female thread PN16;DN40;Kvs=25;lin	569,80	M	3.464	84818090	CH
B6R40F210	3way valve;female thread PN16;DN40;Kvs=16;lin	569,80	M	3.530	84818090	CH
B6R40F300	3way valve;female thread PN16;DN40;Kvs=25;=%	569,80	M	3.460	84818090	CH
B6R40F310	3way valve;female thread PN16;DN40;Kvs=16;=%	569,80	M	3.492	84818090	CH
B6R50F200	3way valve;female thread PN16;DN50;Kvs=35;lin	601,70	M	4.702	84818090	CH
B6R50F300	3way valve;female thread PN16;DN50;Kvs=35;=%	601,70	M	4.704	84818090	CH
BKR015F310-FF	3-way control ball valve;PN40, DN15, kvs6.3, 90°	59,20	M	0.350	84818010	IT
BKR015F310-UU	3-way control ball valve;PN40, DN15, kvs6.3, 90°	59,80			84818090	IT
BKR015F320-FF	3-way control ball valve;PN40, DN15, kvs4, 90°	59,20	M	0.329	84818010	IT

EPL 2011 EURO

BKR015F320-UU	3-way control ball valve;PN40, DN15, kvs4, 90°	59,80		84818090	IT
BKR015F330-FF	3-way control ball valve;PN40, DN15, kvs2.5, 90°	59,20	M	0.329 84818010	IT
BKR015F330-UU	3-way control ball valve;PN40, DN15, kvs2.5, 90°	59,80		84818090	IT
BKR015F340-FF	3-way control ball valve;PN40, DN15, kvs1.6, 90°	59,20	M	0.330 84818010	IT
BKR015F340-UU	3-way control ball valve;PN40, DN15, kvs1.6, 90°	59,80		84818090	IT
BKR020F310-FF	3-way control ball valve;PN40, DN20, kvs6.3, 90°	65,80	M	0.400 84818010	IT
BKR020F310-UU	3-way control ball valve;PN40, DN20, kvs6.3, 90°	64,50		84818090	IT
BKR020F320-FF	3-way control ball valve;PN40, DN20, kvs4, 90°	65,80	M	0.410 84818010	IT
BKR020F320-UU	3-way control ball valve;PN40, DN20, kvs4, 90°	66,80		84818090	IT
BKR025F310-FF	3-way control ball valve;PN40, DN25, kvs10, 90°	77,00	M	0.600 84818010	IT
BKR025F310-UU	3-way control ball valve;PN40, DN25, kvs10, 90°	82,40		84818090	IT
BKR032F310-FF	3-way control ball valve;PN40, DN32, kvs16, 90°	93,50	M	0.900 84818010	IT
BKR032F310-UU	3-way control ball valve;PN40, DN32, kvs16, 90°	95,00		84818090	IT
BKR040F310-FF	3-way control ball valve;PN40, DN40, kvs25, 90°	145,90	M	1.300 84818010	IT
BKR040F310-UU	3-way control ball valve;PN40, DN40, kvs25, 90°	147,70		84818090	IT
BKR050F310-FF	3-way control ball valve;PN40, DN50, kvs40, 90°	235,60	M	2.350 84818090	IT
BKR050F310-UU	3-way control ball valve;PN40, DN50, kvs40, 90°	239,20		84818010	IT
BUD015F300	Three-way flanged valve; PN6, DN15, kvs 4, 8mm	186,70	M	2.287 84818010	CH
BUD015F310	Three-way flanged valve; PN6, DN15, kvs 2.5, 8mm	186,70	M	2.289 84818010	CH
BUD015F320	Three-way flanged valve; PN6, DN15, kvs 1.6, 8mm	186,70	M	2.293 84818010	CH
BUD020F300	Three-way flanged valve; PN6, DN20, kvs 6.3, 8mm	197,90	M	3.316 84818010	CH
BUD025F300	Three-way flanged valve; PN6, DN25, kvs 10, 8mm	209,10	M	4.007 84818010	CH
BUD032F300	Three-way flanged valve; PN6, DN32, kvs 16, 8mm	227,50	M	6.500 84818010	CH
BUD040F300	Three-way flanged valve; PN6, DN40, kvs 22, 8mm	266,20	M	7.661 84818010	CH
BUD050F200	Three-way flanged valve; PN6;DN50;kvs=40;Lin;8mm	311,10	M	10.116 84818010	CH
BUD050F300	Three-way flanged valve; PN6, DN50, kvs 28, 8mm	311,10	M	10.165 84818010	CH
BUD065F200	Three-way flanged valve; PN6, DN65, kvs 63, 20mm	377,40	M	11.690 84818010	DE
BUD065F300	Three-way flanged valve; PN6, DN65, kvs 49, 20mm	377,40	M	11.475 84818010	DE
BUD080F200	Three-way flanged valve; PN6, DN80, kvs 100, 20mm	607,90	M	15.660 84818010	DE
BUD080F300	Three-way flanged valve; PN6, DN80, kvs 78, 20mm	607,90	M	16.200 84818010	DE
BUD100F200	Three-way flanged valve; PN6, DN100, kvs 160, 40mm	984,30	M	23.500 84818010	DE
BUD100F300	Three-way flanged valve; PN6, DN100, kvs 124, 40mm	984,30	M	23.500 84818010	DE
BUE015F300	Three-way flanged valve; PN10/16, DN15, kvs4, 8mm	187,70	M	2.200 84818010	CH
BUE015F310	Three-way flanged valve; PN10/16, DN15, kvs2.5, 8mm	187,70	M	2.300 84818010	CH
BUE015F320	Three-way flanged valve; PN10/16, DN15, kvs1.6, 8mm	187,70	M	2.300 84818010	CH
BUE015F330	Three-way flanged valve; PN10/16, DN15, kvs1, 8mm	187,70	M	2.230 84818010	CH
BUE020F300	Three-way flanged valve; PN10/16, DN20, kvs6.3, 8mm	197,90	M	3.260 84818010	CH
BUE025F300	Three-way flanged valve; PN10/16, DN25, kvs10, 8mm	210,10	M	4.000 84818010	CH
BUE032F300	Three-way flanged valve; PN10/16, DN32, kvs16, 8mm	227,50	M	6.400 84818010	CH
BUE040F300	Three-way flanged valve; PN10/16, DN40, kvs22, 8mm	277,40	M	7.530 84818010	CH
BUE050F200	Three-way flanged valve; PN10/16;DN50;kvs=40;Li;8mm	312,10	M	9.400 84818010	CH
BUE050F300	Three-way flanged valve; PN10/16, DN50, kvs28, 8mm	312,10	M	9.900 84818010	CH
BUE065F200	Three-way flanged valve; PN10/16, DN65, kvs63, 20mm	530,40	M	16.000 84818010	DE
BUE065F300	Three-way flanged valve; PN10/16, DN65, kvs49, 20mm	530,40	M	16.000 84818010	DE
BUE080F200	Three-way flanged valve; PN10/16, DN80, kvs100, 20mm	706,90	M	18.800 84818010	DE
BUE080F300	Three-way flanged valve; PN10/16, DN80, kvs78, 20mm	706,90	M	19.450 84818010	DE
BUE100F200	Three-way flanged valve; PN10/16 DN100 kvs160, 40mm	1096,50	M	29.000 84818010	DE
BUE100F300	Three-way flanged valve; PN10/16 DN100 kvs124, 40mm	1096,50	M	29.000 84818010	DE
BUE125F200	Three-way flanged valve; PN10/16 DN120 kvs240, 40mm	1371,90	M	42.500 84818010	DE
BUE125F300	Three-way flanged valve; PN10/16 DN120 kvs200, 40mm	1371,90	M	42.500 84818010	DE
BUE150F200	Three-way flanged valve; PN10/16 DN150 kvs320, 40mm	1719,70	M	59.000 84818010	DE
BUE150F300	Three-way flanged valve; PN10/16 DN150 kvs300, 40mm	1719,70	M	58.800 84818010	DE
BUG015F304	Three-way flanged valve; PN16/25, DN15, kvs4, 20mm	309,10	M	3.138 84818010	CH
BUG015F314	Three-way flanged valve; PN16/25 DN15, kvs2.5, 20mm	309,10	M	3.126 84818010	CH
BUG015F324	Three-way flanged valve; PN16/25 DN15, kvs1.6, 20mm	309,10	M	3.118 84818010	CH
BUG015F334	Three-way flanged valve; PN16/25, DN15, kvs1, 20mm	309,10	M	3.134 84818010	CH
BUG020F304	Three-way flanged valve; PN16/25 DN20, kvs6.3, 20mm	333,50	M	3.982 84818010	CH
BUG025F304	Three-way flanged valve; PN16/25, DN25, kvs10, 20mm	389,60	M	4.790 84818010	CH
BUG032F304	Three-way flanged valve; PN16/25, DN32, kvs16, 20mm	460,00	M	7.450 84818010	CH
BUG040F304	Three-way flanged valve; PN16/25, DN40, kvs25, 20mm	509,00	M	9.490 84818010	CH
BUG050F304	Three-way flanged valve; PN16/25, DN50, kvs40, 20mm	617,10	M	11.850 84818010	CH
BUG065F304	Three-way flanged valve; PN25, DN65, kvs63, 40mm	955,70	M	22.200 84818010	DE
BUG065F316	Three-way flanged valve; PN16, DN65, kvs63, 40mm	955,70	M	22.200 84818010	DE
BUG080F304	Three-way flanged valve; PN25 DN80, kvs100, 40mm	1214,80	M	30.700 84818010	DE
BUG100F304	Three-way flanged valve; PN25, DN100, kvs160, 40mm	1899,20	M	45.400 84818010	DE
BUG125F304	Three-way flanged valve; PN25, DN125, kvs250, 40mm	2427,60	M	68.650 84818010	DE
BUG150F304	Three-way flanged valve; PN25, DN150, kvs340, 40mm	3125,30	M	96.000 84818010	DE
BUL010F300	Small 3-way valve;DN10 PN16;G1/2B;Kvs=1.6;=%	45,60	M	0.293 84818090	AT
BUL010F310	Small 3-way valve;DN10 PN16;G1/2B;Kvs=1.0;=%	45,60	M	0.297 84818090	AT

EPL 2011 EURO

BUL010F320	Small 3-way valve;DN10 PN16;G1/2B;Kvs=0.63;=%	45,60	M	0.293 84818090	AT
BUL010F330	Small 3-way valve;DN10 PN16;G1/2B;Kvs=0.40;=%	45,60	M	0.297 84818090	AT
BUL010F400	Small 3-way valve;DN10 G1/2B;Kvs=1.6;=%;Bypass	49,40	M	0.374 84818090	AT
BUL010F410	Small 3-way valve;DN10 G1/2B;Kvs=1.0;=%;Bypass	49,40	M	0.379 84818090	AT
BUL010F420	Small 3-way valve;DN10 G1/2B;Kvs=0.63;=%;Bypass	49,40	M	0.378 84818090	AT
BUL010F430	Small 3-way valve;DN10 G1/2B;Kvs=0.40;=%;Bypass	49,40	M	0.379 84818090	AT
BUL010F600	Small 3-way valve;DN10 D=15;Kvs=1.6;=%;compr.fit	50,50	M	0.356 84818090	AT
BUL010F610	Small 3-way valve;DN10 D=15;Kvs=1.0;=%;compr.fit	50,50	M	0.357 84818090	AT
BUL010F620	Small 3-way valve;DN10 D=15;Kvs=0.63;=%;compr.fit	50,50	M	0.348 84818090	AT
BUL010F630	Small 3-way valve;DN10 D=15;Kvs=0.4;=%;compr.fit	50,50	M	0.355 84818090	AT
BUL015F300	Small 3-way valve;DN15 PN16;G3/4B;Kvs=4.0;=%	52,00	M	0.326 84818090	AT
BUL015F310	Small 3-way valve;DN15 PN16;G3/4B;Kvs=2.5;=%	52,00	M	0.332 84818090	AT
BUL015F400	Small 3-way valve;DN15 G3/4B;Kvs=4.0;=%;Bypass	57,70	M	0.421 84818090	AT
BUL015F410	Small 3-way valve;DN15 G3/4B;Kvs=2.5;=%;Bypass	57,70	M	0.412 84818090	AT
BUL020F300	Small 3-way valve;DN20 PN16;G 1B;Kvs=5.0;=%	63,30	M	0.356 84818090	AT
BUL020F400	Small 3-way valve;DN20 G 1B;Kvs=5.1;=%;Bypass	67,00	M	0.491 84818090	AT
BUN015F300	3way valve;PN16;DN15;kvs=4.0;8mm;=%;	123,40	M	0.810 84818090	CH
BUN015F310	3way valve;PN16;DN15;kvs=2.5;8mm;=%;	123,40	M	0.810 84818090	CH
BUN015F320	3way valve;PN16;DN15;kvs=1.6;8mm;=%;	123,40	M	0.810 84818090	CH
BUN015F330	3way valve;PN16;DN15;kvs=1.0;8mm;=%;	123,40	M	0.810 84818090	CH
BUN020F300	3way valve;PN16;DN20;kvs=6.3;8mm;=%;	130,60	M	0.914 84818090	CH
BUN025F300	3way valve;PN16;DN25;kvs=10;8mm;=%;	146,90	M	1.140 84818090	CH
BUN032F300	3way valve;PN16;DN32;kvs=16;8mm;=%;	179,50	M	1.507 84818090	CH
BUN040F300	3way valve;PN16;DN40;kvs=25;8mm;=%;	220,30	M	2.215 84818090	CH
BUN050F200	3way valve;PN16;DN50;kvs=40;8mm;lin.	366,20	M	3.200 84818090	CH
BUN050F300	3way valve;PN16;DN50;kvs=40;8mm;=%;	366,20	M	3.200 84818090	CH
BUS015F205	Three-way flanged valve; PN40;DN15;Kvs=4.0	1109,80	C	5.800 84818010	DE
BUS015F215	Three-way flanged valve; PN40;DN15;Kvs=2.5	1109,80	C	5.800 84818010	DE
BUS015F225	Three-way flanged valve; PN40;DN15;Kvs=1.6	1109,80	C	5.800 84818010	DE
BUS020F205	Three-way flanged valve; PN40;DN20;Kvs=6.3	1167,90	C	7.800 84818010	DE
BUS025F205	Three-way flanged valve; PN40;DN25;Kvs=10	1249,50	C	9.200 84818010	DE
BUS032F205	Three-way flanged valve; PN40;DN32;Kvs=16	1366,80	C	11.700 84818010	DE
BUS040F205	Three-way flanged valve; PN40;DN40;Kvs=25	1588,10	C	14.700 84818010	DE
BUS050F205	Three-way flanged valve; PN40;DN50;Kvs=40	1845,20	C	19.200 84818010	DE
BUS065F205	Three-way flanged valve; PN40;DN65;Kvs=63	2581,60	C	31.000 84818010	DE
BUS080F205	Three-way flanged valve; PN40;DN80;Kvs=100	3329,30	C	45.000 84818010	DE
BUS100F205	Three-way flanged valve; PN40;DN100;Kvs=160	4438,00	C	66.000 84818010	DE
BUS125F305	Three-way flanged valve; PN40;DN125;Kvs=220	5756,90	C	94.000 84818010	DE
BUS150F305	Three-way flanged valve; PN40;DN150;Kvs=320	7578,60	C	124.000 84818010	DE
BXL025F200	Small 3-way valve;DN25 PN16;Kvs=6.5;lin	132,90	M	1.188 84818090	DE
BXL040F200	Small 3-way valve;DN40 PN16;Kvs=9.5;lin	208,10	M	2.372 84818090	DE
CERTIFICAT001	Manufacturer's test certificate M; as per DIN 55350-18	302,90	C	0.000 00000000	CH
CERTIFICAT002	Test report "2.2"; as per EN 10204 (=DIN 50049)	60,70	C	0.001 00000000	CH
CERTIFICAT003	Inspection certificate "3.1"; EN 10204 (=DIN 50049)	302,90	C	0.002 00000000	CH
CERTIFICAT101	Manufacturer's test certificate O; as per DIN 55350-18	60,70	M	0.003 00000000	CH
CERTIFICAT999	Test; 1 further product;(2 pcs. or more)	80,60	C	0.004 00000000	CH
DEF025F200	Wafer butterfly valve PN16;DN25;Kvs=36	215,20	M	1.057 84818010	DE
DEF032F200	Wafer butterfly valve PN16;DN32;Kvs=40	230,50	M	1.192 84818010	DE
DEF040F200	Wafer butterfly valve PN16;DN40;Kvs=50	253,00	M	1.529 84818010	DE
DEF050F200	Wafer butterfly valve PN16;DN50;Kvs=85	284,60	M	2.313 84818010	DE
DEF065F200	Wafer butterfly valve PN16;DN65;Kvs=215	318,20	M	2.923 84818010	DE
DEF080F200	Wafer butterfly valve PN16;DN80;Kvs=420	361,10	M	4.014 84818010	DE
DEF100F200	Wafer butterfly valve PN16;DN100;Kvs=800	388,60	M	5.000 84818010	DE
DEF125F200	Wafer butterfly valve PN16;DN125;Kvs=1010	468,20	M	6.935 84818010	DE
DEF150F200	Wafer butterfly valve PN16;DN150;Kvs=2100	615,10	M	9.100 84818010	DE
DEF200F200	Wafer butterfly valve PN16;DN200;Kvs=4000	917,00	M	13.600 84818010	DE
DFC17B30F001	Pressostat 0-0.4bar;brass	435,60	M	1.658 90322000	CH
DFC17B36F001	Pressostat 0-1.5bar;brass	359,00	M	1.670 90322000	CH
DFC17B39F001	Pressostat -1..1.5bar;brass	369,20	M	1.706 90322000	CH
DFC17B54F001	Pressostat 0-2.5bar;brass	313,10	M	1.243 90322000	CH
DFC17B54F211	Pression limiter 0-2.5bar;brass;min.	376,40	M	1.205 90322000	CH
DFC17B58F001	Pressostat 0-6.0bar;brass	336,60	M	1.251 90322000	CH
DFC17B58F211	Pression limiter 0-6.0bar;brass;min.	435,60	C	1.000 90322000	CH
DFC17B59F001	Pressostat -1..5bar;brass	359,00	M	1.249 90322000	CH
DFC17B76F001	Pressostat 0-10bar;brass	329,50	M	0.969 90322000	CH
DFC17B76F021	Pressostat 0-10bar;brass;IP67;	487,20	C	1.100 90322000	CH
DFC17B77F001	Pressostat 10-20bar;brass	396,00	M	1.010 90322000	CH
DFC17B78F001	Pressostat 0-16bar;brass	338,60	M	0.990 90322000	CH
DFC17B78F211	Pression limiter 0-16bar;brass;min.	460,80	C	1.000 90322000	CH
DFC17B79F001	Pressostat 16-32bar;brass	411,60	M	1.020 90322000	CH

EPL 2011 EURO

DFC17B96F001	Pressostat 0-25bar;brass	428,40	M	0.944	90322000	CH	
DFC17B97F001	Pressostat 25-50bar;brass	364,10	M	0.990	90322000	CH	
DFC17B98F001	Pressostat 0-40bar;brass	364,10	M	0.962	90322000	CH	
DFC17B99F001	Pressostat 40-80bar;brass	379,40	M	1.024	90322000	CH	
DFC27B26F002	Pressostat -1..2,5bar;inox	522,20	M	0.971	90322000	CH	
DFC27B26F062	Pressostat -1..2,5bar;inox;IP67;	934,80	C	0.700	90322000	CH	
DFC27B43BF001	Safety pression limiter 0.5-6.0bar;inox	544,70	M	0.900	90322000	CH	
DFC27B43F002	Pressostat 0.5-6.0bar;inox	459,00	M	0.973	90322000	CH	
DFC27B43WF001	Pression monitor 0.5-6.0bar;inox	459,00	M	0.900	90322000	CH	
DFC27B46F002	Pressostat 1-10bar;inox	510,00	M	1.017	90322000	CH	
DFC27B46F062	Pressostat 1-10bar;inox;IP67;	657,60	C	0.900	90322000	CH	
DFC27B52BF001	Safety pression limiter 2-16bar;inox	515,10	M	1.000	90322000	CH	
DFC27B52F002	Pressostat 2-16bar;inox	487,60	M	1.029	90322000	CH	
DFC27B58BF001	Safety pression limiter 2-25bar;inox	586,80	M	1.005	90322000	CH	
DFC27B67BF001	Safety pression limiter 3-40bar;inox	594,00	C	0.900	90322000	CH	
DSA140F002	Pressure monitor 0...2.5 bar;max	143,80	M	0.542	90322000	CH	
DSA143F002	Pressure monitor 0...6 bar;max	137,70	M	0.570	90322000	CH	
DSA146F002	Pressure monitor 0..10 bar;max	149,90	M	0.540	90322000	CH	
DSB138F001	Pressure monitor 0-1.6 bar; brass;min	151,00	M	0.570	90322000	CH	
DSB140F001	Pressure monitor 0-2.5 bar;brass;min	151,00	M	0.570	90322000	CH	
DSB143F001	Pressure monitor 0-6 bar;brass;min	144,80	M	0.570	90322000	CH	
DSB146F001	Pressure monitor 0-10 bar;brass;min	153,00	M	0.558	90322000	CH	
DSB152F001	Pressure monitor 6-16 bar;brass;min	159,10	M	0.540	90322000	CH	
DSB158F001	Pressure monitor 0...25 bar;brass;min	174,40	M	0.545	90322000	CH	
DSB170F001	Pressure monitor 5...40 bar;brass;min	183,60	M	0.547	90322000	CH	
DSD134F101	Difference-Pressostat 0.05-0.4bar;Xsd=fix	366,20	M	0.762	90322000	CH	
DSD137F001	Difference-Pressostat 0.2-1.0bar;Xsd=var.	361,10	M	0.701	90322000	CH	
DSD140F001	Difference-Pressostat 0.4-2.5bar;Xsd=var.	361,10	M	0.707	90322000	CH	
DSD143F001	Difference-Pressostat 0.5-6.0bar;Xsd=var.	361,10	M	0.702	90322000	CH	
DSD152F001	Difference-Pressostat 1.0-16bar;Xsd=var.	366,20	M	0.709	90322000	CH	
DSDU100F020	Diff.pressure transducer 24V;0-0.5b	476,30	M	0.690	90322000	CH	
DSDU101F020	Diff.pressure transducer 24V;0-1.0b	476,30	M	0.710	90322000	CH	
DSDU103F020	Diff.pressure transducer 24V;0-2.5b	476,30	M	0.720	90322000	CH	
DSDU106F020	Diff.pressure transducer 24V;0-6.0b	476,30	M	0.700	90322000	CH	
DSF125F001	Pressure monitor -1..1,5 bar; stainl.;min	248,90	M	0.618	90322000	CH	
DSF127F001	Pressure monitor -1-5 bar;stainl.;min	248,90	M	0.618	90322000	CH	
DSF135F001	Pressure monitor 0-0.6 bar;stainl.;min	225,40	M	0.612	90322000	CH	
DSF138F001	Pressure monitor 0-1.6 bar;stainl.;min	225,40	M	0.611	90322000	CH	
DSF140F001	Pressure monitor 0-2.5 bar;stainl.;min	225,40	M	0.570	90322000	CH	
DSF143F001	Pressure monitor 0-6 bar;stainl.;min	225,40	M	0.615	90322000	CH	
DSF146F001	Pressure monitor 0-10 bar;stainl.;min	225,40	M	0.580	90322000	CH	
DSF152F001	Pressure monitor 0-16 bar;stainl.;min	237,70	M	0.384	90322000	CH	
DSF158F001	Pressure monitor 0-25 bar;stainl.;min	248,90	M	0.400	90322000	CH	
DSF170F001	Pressure monitor 15-40 bar;stainl.;min	264,20	M	0.431	90322000	CH	
DSH127F001	Pressure limiter -1..5 bar; inox;max	258,10	M	0.623	90322000	CH	
DSH143F001	Pressure limiter 0.5-6 bar; inox;max	237,70	M	0.570	90322000	CH	
DSH146F001	Pressure limiter 1-10 bar;inox;max	237,70	M	0.590	90322000	CH	
DSH152F001	Pressure limiter 2-16 bar;inox;max	243,80	M	0.435	90322000	CH	
DSH158F001	Pressure limiter 2-25 bar;inox;max	258,10	M	0.436	90322000	CH	
DSH170F001	Pressure limiter 15-40 bar;inox;max	270,30	M	0.435	90322000	CH	
DSL140F001	Pressure limiter 0-2.5 bar;brass;min	176,50	M	0.615	90322000	CH	
DSL143F001	Pressure limiter 0-6 bar;brass;min	167,30	M	0.570	90322000	CH	
DSL152F001	Pressure limiter 6-16 bar;brass;min	187,70	M	0.591	90322000	CH	
DSU101F001	Pressure transducer 24V;0-1.0b;brass	296,80	M	0.702	90322000	CH	
DSU103F001	Pressure transducer 24V;0-2.5b;brass	296,80	M	0.707	90322000	CH	
DSU106F001	Pressure transducer 24V;0-6.0b;brass	296,80	M	0.650	90322000	CH	
DSU110F001	Pressure transducer 24V;0-10b;brass	296,80	M	0.685	90322000	CH	
DSU116F001	Pressure transducer 24V;0-16b;brass	296,80	M	0.664	90322000	CH	
DSU125F001	Pressure transducer 24V;0-25b;brass	296,80	M	0.666	90322000	CH	
DSU206F001	Pressure transducer 24V;0-6.0b;inox	360,10	M	0.716	90322000	CH	
DSU210F001	Pressure transducer 24V;0-10b;inox	360,10	M	0.725	90322000	CH	
DSU216F001	Pressure transducer 24V;0-16b;inox	380,50	M	0.550	90322000	CH	
DSU225F001	Pressure transducer 24V;0-25;inox	380,50	M	0.528	90322000	CH	
EGE110F002	Duct humidity transduc;Hx Enthalpy	367,20	M	0.436	90328900	CH	
EGE112F002	Duct humidity transduc;Hx Enthalpy +Temp.0-10V	442,70	M	RA	0.456	90328900	CH
EGH102F001	Dew-point monitor+transduc 95%rF;24V;0-10V;w/o cable	100,00	M	0.122	90328900	CH	
EGH102F101	Dew-point monitor+transduc 95%rF;24V;0-10V;ext. sensor	121,40	M	0.180	90328900	CH	
EGH110F002	Duct humidity transduc;H% 0(2)-10V;olive-yellow	332,50	M	0.430	90328900	CH	
EGH111F001	Duct humidity transduc;H% +Temp.Ni1000;white	314,20	M	0.431	90328900	CH	

EPL 2011 EURO

EGH111F002	Duct humidity transduc;H% +Temp.Ni1000;olive-yellow	314,20	M		0.425	90328900	CH
EGH112F001	Duct humidity transduc;H% +0-50 °C;0-10V;white	328,40	M		0.400	90328900	CH
EGH112F002	Duct humidity transduc;H% +0-50 °C;olive-yellow	328,40	M		0.424	90328900	CH
EGH120F001	Room humidity transduc;H% 10-95%rF;white	247,90	M		0.106	90328900	CH
EGH130F001	Room humidity transduc;H% +Temp;24V;0-10V;white	247,90	M		0.100	90328900	CH
EGP100F301	Differential-pressure transducer; 150Pa,0...10V,lin	154,00	M		0.236	90328100	CH
EGP100F401	Differential-pressure transducer; 300Pa,0...10V,lin	154,00	M		0.236	90328100	CH
EGQ110F001	IAQ-transducer;duct-type 24V;0-10V	341,70	M		0.406	90328900	CH
EGQ120F001	IAQ-transducer;room-type 24V;0-10V;white	254,00	M		0.105	90328900	CH
EGQ212F001	IAQ-transducer;duct-type 24V;0-10V;0-50 °C	672,20	M	RA	0.370	90328900	CH
EGQ222F001	IAQ-transducer;room-type 24V;0-10V;0-50 °C;white	516,10	M	RA	0.120	90328900	DE
EGS52/15F001	Remote control Equitherm	143,80	M		0.105	90329090	CH
EGT130F001	Room-temp.transducer 24V;0-10V;white	100,00	M		0.100	90329010	CH
EGT301F021	Outside-temp detector Ni200	30,90	M		0.069	90329010	CH
EGT301F051	Outside-temp detector Ni500	30,90	M		0.070	90329010	CH
EGT301F101	Outside-temp detector Ni1000	29,50	M		0.069	90329010	CH
EGT311F021	Clamp-on detector Ni200	37,60	M		0.100	90329010	CH
EGT311F101	Clamp-on detector Ni1000	33,70	M		0.100	90329010	CH
EGT330F021	Room-temperature detector Ni200;white	69,60	M		0.113	90329010	CH
EGT330F051	Room-temperature detector Ni500;white	72,00	M		0.113	90329010	CH
EGT330F101	Room-temperature detector Ni1000;white	56,30	M		0.090	90329010	CH
EGT332F101	Room-temperature detector Ni1000;DDC;white;Pot2k	85,80	M		0.096	90329010	CH
EGT333F101	Room-temperature detector Ni1000;DDC;white;Pot47R	120,00	M		0.096	90329010	CH
EGT335F101	Room-temperature detector Ni1000;DDC;white;Pot2k;LED	124,40	M		0.102	90329010	CH
EGT336F021	Room-temperature detector passive, Ni200 Sensor	50,50	M		0.047	90329010	CH
EGT336F051	Room-temperature detector passive, Ni500 Sensor	50,50	M		0.047	90329010	CH
EGT336F101	Room-temperature detector; Ni1000	38,80	M		0.047	90329010	CH
EGT338F101	Room-temperature detector; passive with potentiometre	60,70	M		0.059	90329010	CH
EGT338F601	Room-temperature detector passive,Ni 1000, dXs 2000Ohm	77,50	M		0.062	90329010	CH
EGT346F021	Stem-type temp detector Ni200;L=120mm;d=6.5	65,80	M		0.115	90329010	CH
EGT346F101	Stem-type temp detector Ni1000;L=120mm;d=6.5	65,80	M		0.110	90329010	CH
EGT347F021	Stem-type temp detector Ni200;L=225mm;d=6.5	68,30	M		0.150	90329010	CH
EGT347F101	Stem-type temp detector Ni1000;L=225mm;d=6.5	68,30	M		0.150	90329010	CH
EGT348F021	Stem-type temp detector Ni200;L=450mm;d=6.5	76,00	M		0.150	90329010	CH
EGT348F101	Stem-type temp detector Ni1000;L=450mm;d=6.5	76,00	M		0.150	90329010	CH
EGT354F021	Cable temp.detector Ni200;L=1m;l=50;d=6	25,20	M		0.049	90329010	CH
EGT354F051	Cable temp.detector Ni500;L=1m;l=50;d=6	25,20	M		0.050	90329010	CH
EGT354F101	Cable temp.detector Ni1000;L=1m;l=50;d=6	25,20	M		0.051	90329010	CH
EGT354F103	Cable temp.detector Ni1000;L=3m;l=50;d=6	27,10	M		0.114	90329010	CH
EGT354F110	Cable temp.detector Ni1000;L=10m;l=50;d=6	34,00	M		0.345	90329010	CH
EGT354F120	Cable temp.detector Ni1000;L=20m;l=50;d=6	46,80	M		0.680	90329010	CH
EGT355F101	Cable temp.detector Ni1000;L=1.5m;l=30cm;d=6.5	63,80	M		0.123	90329010	CH
EGT355F900	Cable temp.detector Ni1000;L=1.5m;l=9cm;d=6.5	60,20	M		0.078	90329010	CH
EGT355F901	Cable temp.detector Ni1000;L=1.5m;l=16cm;d=6.5	60,70	M		0.085	90329010	CH
EGT356F101	Cable temp.detector;high temp. Ni1000;L=1m;l=50;d=6	32,00	M		0.053	90329010	CH
EGT356F103	Cable temp.detector;high temp. Ni1000;L=3m;l=50;d=6	37,70	M		0.112	90329010	CH
EGT356F110	Cable temp.detector;high temp. Ni1000;L=10m;l=50;d=6	58,70	M		0.330	90329010	CH
EGT356F120	Cable temp.detector;high temp. Ni1000;L=20m;l=50;d=6	96,40	M		0.665	90329010	CH
EGT392F101	Stem detector;higher temp Ni1000;L=120mm	107,10	M		0.260	90329010	CH
EGT393F101	Stem detector;higher temp Ni1000;L=225mm	107,10	M		0.300	90329010	CH
EGT393F904	Stem detector;higher temp Ni1000;L=225mm;build-in	141,80	C		0.250	90329010	CH
EGT395F101	Stem detector;higher temp Ni1000;L=450mm	127,50	M		0.352	90329010	CH
EGT401F101	Outside-temp detector Pt1000	63,20	M		0.109	90329010	CH
EGT411F101	Clamp-on temp detector Pt1000	78,50	M		0.100	90329010	CH
EGT430F011	Room-temperature detector Pt100;white	92,40	M		0.114	90329010	CH
EGT430F101	Room-temperature detector Pt1000;white	92,40	M		0.090	90329010	CH
EGT436F011	Room-temperature detector, platinum sensor; Pt100	87,60	M		0.047	90329010	CH
EGT436F101	Room-temperature detector, platinum sensor; Pt1000	81,10	M		0.047	90329010	CH
EGT446F011	Stem-type temp detector Pt100;L=120mm;d=6.5	105,00	M		0.150	90329010	CH
EGT446F101	Stem-type temp detector Pt1000;L=120mm;d=6.5	89,30	M		0.150	90329010	CH
EGT447F011	Stem-type temp detector Pt100;L=225mm;d=6.5	111,00	M		0.150	90329010	CH
EGT447F101	Stem-type temp detector Pt1000;L=225mm;d=6.5	94,40	M		0.150	90329010	CH
EGT456F011	Cable temp.detector; high temp. Pt100;L=1m;l=50;d=6	64,20	M		0.053	90329010	CH
EGT456F101	Cable temp.detector; high temp. Pt1000;L=1m;l=50;d=6	54,60	M		0.050	90329010	CH
EGT636F101	Room-temperature detector passive;NTC 10K Ohm	35,70	M		0.047	90329010	CH
EQJW125F001	Heating controller 230V digital user interface	634,40	M	RA	0.511	90321000	DE
EQJW135F001	Heating controller with communication capability	778,30	M	RA	0.511	90321000	DE
EQJW145F001	Heating controller for local and district heating	759,90	M	RA	0.510	90321000	DE
EQJW245F001	District-heating controller,230V~ for 2 control loops	828,20	M	RA	0.510	90321000	DE
EQJW95DF001	Heating controller 230V analog;day program	634,40	M	RA	0.957	90321000	CH

EPL 2011 EURO

EQJW95WF001	Heating controller 230V analog;week program	634,40	M	RA	0.957	90321000	CH
ERA10F001	PI-controller;3point 230V	489,50	M		0.607	90328900	CH
ERA20F001	P-controller;3point 230V;f.drive with pot130	415,80	M		0.600	90328900	CH
ERA30F001	P+PI-cascade contr;3point 230V~	542,30	M	RA	0.632	90328900	CH
ERA610F001	Electronic thermostat 0-60°C;230V	288,20	M		0.288	90328900	CH
ESL116F001	Electr.power controller 16A 3.7kW (230V)	375,40	M	RA	0.520	90328900	DK
ESL125F001	Electr.power controller 25A 5.8kW (230V)	413,10	M	RA	0.840	90328900	DK
EXG100F001	Active Potentiometer 24V;0-10V	145,20	M		0.074	85333100	CH
EXMTF001	Digital display 24V;fixed-range	369,60	M		0.175	90329090	CH
EXMUF001	Digital display 24V;multi-range	531,60	M		0.185	90329090	CH
EXMUF901	Digital display 24V;-50..50°C	487,30	C		0.185	90329090	CH
EXPR10F002	Positioner 24V;3point	265,20	M		0.266	90328900	CH
EXR101F001	Switching unit, 1-channel 24V;0-10V;0-20mA	240,00	M		0.171	90328900	CH
EXR102F001	Switching unit, 2-channel 24V;0-10V;0-20mA	330,00	M		0.254	90328900	CH
EXR400F001	Selecting unit 24V~	271,20	M		0.174	90328900	CH
EXR500F001	EI sequencing amplifier 24V;0-10V/0-20mA	344,40	M		0.246	90328900	CH
EXR560F001	Measuring amplifier 230V;0-10V/0-20mA	236,40	M		0.328	90328900	CH
FCCP100F010	Fume cupboard control panel;alarm,mute	183,60	M		0.196	90329090	CH
FCCP100F011	Fume cupboard control panel;alarm,mute,RS485	206,00	M		0.192	90329090	CH
FCCP100F020	Fume cupboard control panel;l/O,light	219,30	M		0.195	90329090	CH
FCCP100F021	Fume cupboard control panel;l/O,light,RS485	238,70	M		0.195	90329090	CH
FCCP100F030	Fume cupboard control panel;l/O,light, Vmin/max	262,10	M		0.196	90329090	CH
FCCP100F031	Fume cupboard control panel;l/O,light,Vmin/max,RS485	283,60	M		0.210	90329090	CH
FCIU100F021	Fume cupboard interface unit;24V~;PI	278,00	M		0.446	90329090	CH
FCIU100F101	Fume cupboard interface unit;24V~;PI;M-S	321,30	M		0.454	90329090	CH
FXV006F001	EI.distributor unit;6fold for control signals	87,70	M		0.540	90329090	CH
HBC111F001	Duct humidistat 15-95%rF	175,40	M		0.445	90328900	CH
HBC112F001	Duct humidistat min+max 15-95%rF;2switches	250,80	M		0.450	90328900	CH
HSC101F001	Build-in Humidistat packing unit 50 pcs.	32,60	M		0.026	90328900	CH
HSC120F001	Room humidistat Screw terminals	78,50	M		0.110	90328900	CH
HSC120F010	Room humidistat internal setting	84,70	M		0.110	90328900	CH
HSUP1F001	Pneu.room humidity transd. 20-90%r.h.	503,00	M		0.240	90328100	CH
HTP151F001	Pneu.duct humidity transd. 20-90%r.h.	272,00	M		0.420	90328100	CH
LET210RF200	Radio receiver for positioning signals; 1-channel 230V	108,10	M		0.145	90328900	DE
LET240RF200	Radio receiver for positioning signals; 4-channel 230V	224,40	M		0.592	90328900	DE
LET260RF200	Radio receiver for positioning signals; 6-channel 230V	259,10	M		0.586	90328900	DE
LET340RF102	Radio receiver for positioning signals; 4-channel 24V	260,10	M		0.558	90328900	DE
LET360RF102	Radio receiver for positioning signals; 6-channel 24V	284,60	M		0.576	90328900	DE
LET380RF102	Radio receiver for positioning signals; 8-channel 24V	309,10	M		0.570	90328900	DE
LRT210RF210	Transmitter thermostat;for 230V receiver	71,90	M		0.130	90328900	DE
LRT310RF012	Transmitter thermostat;pour récepteur 24V	71,90	M		0.122	90328900	DE
LXT240RF012	Remote control unit; 4-position 24 V~	77,00	M		0.140	90328900	DE
LXT250RF012	Remote control unit; 5-position 24 V~	78,00	M		0.114	90328900	DE
LXT340RF002	Programmable radio remote control	225,40	M		0.443	90328900	DE
M3R015F200	3way screwed mixing valve; PN10;DN15;Kvs=2.5;	66,70	M		0.877	84818010	IT
M3R020F200	3way screwed mixing valve;PN10;DN20;Kvs=6.0;	66,70	M		0.780	84818010	IT
M3R025F200	3way screwed mixing valve;PN10;DN25;Kvs=12;	76,90	M		1.216	84818010	IT
M3R032F200	3way screwed mixing valve;PN10;DN32;Kvs=18;	83,70	M		1.245	84818010	IT
M3R040F200	3way screwed mixing valve;PN10;DN40;Kvs=26;	180,00	M		1.245	84818010	IT
M3R050F200	3way screwed mixing valve;PN10;DN50;Kvs=40;	264,00	M		1.245	84818010	IT
M4R020F200	4way screwed mixing valve;PN10;DN20;Kvs=6.0;	66,70	M		0.847	84818010	IT
M4R025F200	4way screwed mixing valve;PN10;DN25;Kvs=12;	80,60	M		1.302	84818010	IT
M4R032F200	4way screwed mixing valve;PN10;DN32;Kvs=18;	85,70	M		1.327	84818010	IT
M4R040F200	4way screwed mixing valve;PN10;DN40;Kvs=26;	197,00	M		1.327	84818010	IT
M4R050F200	4way screwed mixing valve;PN10;DN50;Kvs=40;	283,00	M		1.327	84818010	IT
MH32F100F200	3way flanged mixing valve PN6;DN100;Kvs=225;	475,30	M		20.700	84818010	SW
MH32F125F200	3way flanged mixing valve PN6;DN125;Kvs=310;	624,20	M		26.500	84818010	SW
MH32F150F200	3way flanged mixing valve PN6;DN150;Kvs=420;	834,40	M		35.500	84818010	SW
MH32F20F200	3way flanged mixing valve PN6;DN20;Kvs=12;	144,80	M		3.362	84818010	SW
MH32F25F200	3way flanged mixing valve PN6;DN25;Kvs=18;	152,00	M		3.802	84818010	SW
MH32F32F200	3way flanged mixing valve PN6;DN32;Kvs=28;	182,60	M		5.730	84818010	SW
MH32F40F200	3way flanged mixing valve PN6;DN40;Kvs=44;	197,90	M		6.380	84818010	SW
MH32F50F200	3way flanged mixing valve PN6;DN50;Kvs=66;	256,00	M		8.700	84818010	SW
MH32F65F200	3way flanged mixing valve PN6;DN65;Kvs=100;	278,50	M		9.900	84818010	SW
MH32F80F200	3way flanged mixing valve PN6;DN80;Kvs=150;	377,40	M		15.830	84818010	SW
MH42F32F200	4way flanged mixing valve PN6;DN32;Kvs=28;	205,00	M		6.800	84818010	SW
MH42F40F200	4way flanged mixing valve PN6;DN40;Kvs=44;	235,60	M		8.100	84818010	SW
MH42F50F200	4way flanged mixing valve PN6;DN50;Kvs=66;	299,90	M		10.295	84818010	SW
NRT101F002	EI.Thermostat+timeswitch battery;2x1,5V;pulse-pause	163,90	M		0.333	90328900	CH
NRT101F012	EI.Thermostat+timeswitch 110-230V;pulse-pause	188,10	M		0.348	90328900	CH
NRT101F111	EI.Thermostat+timeswitch 230V;pulse;master clock	188,10	M		0.350	90328900	CH

EPL 2011 EURO

NRT105F011	Fancoil temperature contr. 110-230V;Relay	220,30	M	0.352	90328900	CH
NRT105F061	Fancoil temperature contr. 24V;0-10V	220,30	M	0.338	90328900	CH
NRT107F031	AC-controller;room-type 110-230V;PI/P	273,40	M	0.300	90328900	CH
NRT107F041	AC-controller;room-type 24V;PI/P	294,80	M	0.280	90328900	CH
NRT114F031	Heating contr.;room-type 110-230V;PI/3pt	273,40	M	0.300	90328900	CH
NRT114F041	Heating contr.;room-type 24V;PI/3pt	273,40	M	0.300	90328900	CH
NRT210F011	Room-temp.contr;heat/cool 230V;1 relay	63,20	M	0.111	90328900	CH
NRT210F021	Room-temp.contr;heat/cool 24V;1 relay	63,20	M	0.108	90328900	CH
NRT220F011	Room-temp.contr;heat/cool 230V;2 relays	74,00	M	0.115	90328900	CH
NRT220F021	Room-temp.contr;heat/cool 24V;2 relays	74,00	M	0.110	90328900	CH
NRT300F041	Room temp.contr;switched 24V;P(2pt);PI(3pt);white	132,60	M	0.122	90328900	CH
NRT300F061	Room temp.contr;continuous PI;24V;2x 0-10V;white	132,60	M	0.118	90328900	CH
RAK13.5050S	Safety temperature limiter;130/95°C; L=0.8m	107,10	M	0.400	90321000	CH
RAK574.4/3715	Safety temperature limiter;120/100/80°C; L=0.8m; IP54	154,00	M	0.346	90321000	CH
RAK574.4/3720	Safety temperature limiter;160/140/120°C; L=0.8m;IP54	154,00	M	0.346	90321000	CH
RAK574.4/3797	Safety temperature limiter;200/180/160°C; L=0.8m;IP54	154,00	M	0.346	90321000	CH
RAK582.4/3726	Universal thermostat;50-130°C;L=0.8m	89,30	M	0.300	90321000	CH
RAK582.4/3728	Universal thermostat;15-95°C;L=0.8m	89,30	M	0.360	90321000	CH
RAK582.4/3729	Universal thermostat RAK;TW; 80...160°C; L=1.6m;	189,70	M	0.490	90321000	CH
RAK582.4/3753	Universal thermostat RAK;TW; 150...230°C; L=1.6m;	203,00	M	0.286	90321000	CH
RAK582.4/3754	Universal thermostat;40-120°C;L=1.6m	89,30	M	0.390	90321000	CH
RAK582.4/3770	Universal thermostat;-10..50°C;L=1.6m	89,30	M	0.395	90321000	CH
RAK582.4/3773	Universal thermostat;5-30°C;L=0.8m	89,30	M	0.300	90321000	CH
RAK584.4/3782	Universal thermostat RAK;TB; 20...60°C; L=0.8m	97,40	M	0.288	90321000	CH
RAK584.4/3783	Universal thermostat RAK;TB; 50...130°C; L=0.8m	97,40	M	0.288	90321000	CH
RAK82.4/3726M	Universal-thermostat 50-130°C;L=0.8m	97,10	M	0.300	90321000	CH
RAK82.4/3729M	Universal-thermostat;TW 80-160°C;L=1.6m	97,10	M	0.490	90321000	CH
RAK82.4/3754M	Universal-thermostat 40-120°C;L=1.6m	97,10	M	0.390	90321000	CH
RAK82.4/3770M	Universal-thermostat -10..50°C;L=1.6m	97,10	M	0.299	90321000	CH
RAK82.4/3773M	Universal-thermostat 5-30°C;L=0.8m	97,10	M	0.300	90321000	CH
RAK84.4/3782M	Universal- thermostat 20-60°C;L=0,8m	97,10	M	0.288	90321000	CH
RAK84.4/3783M	Universal- thermostat 50-130C;L=0,8m	97,10	M	0.288	90321000	CH
RAP80F002	Pneumatic selector relay min select;4 signals	381,20	M	0.176	90328100	CH
RAP80F003	Pneumatic selector relay max select;4 signals	381,20	M	0.177	90328100	CH
RAP80F901	Pneum. switching relay 2 point switching relay	406,40	M	0.194	90328100	CH
RCP10F001	Pneum.controller;centair PI;fixed setpoint	1041,70	M	0.906	90328100	CH
RCP11F001	Pneum.controller;centair PI;fixed-scheduled	1329,90	M	0.971	90328100	CH
RCP20F001	Pneum.controller;centair P;fixed value;min.limit	704,00	M	0.840	90328100	CH
RCP21F001	Pneum.controller;centair P;fixed setpoint+schedule	903,10	M	0.800	90328100	CH
RCP30F001	Pneum.controller;centair P+PI cascade;fixed value	1303,50	M	0.978	90328100	CH
RCP31F001	Pneum.controller;centair P+PI cascade;fixed+schedul	1677,50	M	1.040	90328100	CH
RCP40F001	Damper control unit Function trapezoid	1246,30	M	0.893	90328100	CH
RDB300F001	Remote control for RDT 300	180,50	M	0.120	90328900	CH
RDP80F001	Pneumatic averaging relay	357,00	M	0.185	90328100	CH
RDT100F001	DDC controller for V+AC 230V;Ni1000;w/o instruct.	469,20	M	0.783	90328900	CH
RDT100F002	DDC controller for V+AC 24V;Ni1000;w/o instruct.	469,20	M	0.680	90328900	CH
RDT300F001	DDC HVAC controller 230V;w/o instruction	642,60	M RA	0.790	90328900	CH
RDT708F002	Controller for ventilation;24V~, 8 in- output	530,40	M RA	0.387	90328900	CH
RDT711F002	Régulateur de ventilation;24V~,11 entres et sorties	592,60	M RA	0.399	90328900	CH
RDT724F002	Régulateur de ventilation;24V~,24 entres et sorties	755,80	M RA	0.514	90328900	CH
RDT724F022	Régulateur de ventilation;24V~, Modbus RTU	850,70	M RA	0.511	90328900	CH
RLE150F100	Room-pressure controller 24V;+/-50Pa	540,60	M	0.800	90328100	CH
RLE152F001	Volume-flow contr;0-10V 24V;1-100Pa;	468,20	M	0.800	90328100	CH
RLE152F002	Volume-flow contr;0-10V 24V;2-200Pa;	468,20	M	0.850	90328100	CH
RLE152F003	Volume-flow contr;0-10V 24V;4-400Pa;	468,20	M	0.850	90328100	CH
RLP100F003	Pneum volume-flow contr. action B(A), shifting	553,10	M	0.638	90328100	CH
RLP100F123	Pneum.volume flow-contr. A;PI;aggr.gas;fume cupb'd	675,70	M	0.600	90328100	CH
RLP100F901	Pneum.room-pressure contr. B(A);+/-20Pa	553,10	M	0.644	90328100	CH
RLP100F903	Pn.volume flow transducer 1.6-160Pa	453,20	C	0.600	90328100	CH
RLP100F908	Pn.volume flow transducer 1.6-160Pa;for aggr.gases	496,50	C	0.600	90328100	CH
RLP100F910	Pn.vol.flowcontr.dual-duct fixed value;for Hescomixer	597,40	C	0.680	90328100	CH
RLP100F914	Pneum volume-flow contr. A;aggr gases, rooms	697,30	C	0.600	90328100	CH
RLP100F915	Pneum.room-pressure contr. B(A);+/-50Pa	553,10	M	0.643	90328100	CH
RLP100F916	Pn.vol.flowcontr.dual-duct fixed setpoint	657,10	C	0.600	90328100	CH
RLP100F918	Pn.vol.flowcontr.dual-duct variabel	729,20	C	0.700	90328100	CH
RLP100F919	Pneum volume-flow contr. A;interface relay	531,50	C	0.600	90328100	CH
RLP100F924	Pneum.room-pressure contr. B(A);35-180Pa (+/-)	553,10	M	0.645	90328100	CH
RLP10F001	Pn.volume flow I-controller B	376,00	M	0.240	90328100	CH
RLP10F902	Pneum VAV-transducer 10-250Pa	364,60	C	0.200	90328100	CH
RLP10F904	Pn.volume flow I-controller B;for aggr.gases	428,50	C	0.200	90328100	CH

EPL 2011 EURO

RLP10F905	Pn.volume flow I-controller A	376,00	C	0.233	90328100	CH
RLP10F916	Pn.volume flow I-controller A;for aggr.gases	428,50	C	0.227	90328100	CH
RPJP80F001	Pneumatic PI-relay	677,30	M	0.225	90328100	CH
RPP20F001	Pneum.controller;centair P;fixed value;small hous.	487,20	M	0.230	90328100	CH
RUEP5F001	Electro-pneumatic relay 230V;50-60Hz	126,00	M	0.382	90328100	DE
RUEP5F002	Electro-pneum.relay 24V;50-60Hz	126,00	M	0.384	90328100	DE
RUP105F001	Pn.press.contr./transducer 0-500 Pa	660,50	M	0.222	90328100	CH
RUP140F001	Pn.press.contr./transducer 0-4000 Pa	660,50	M	0.226	90328100	CH
RVP11F001	Pneum.volume-amplif. relay	808,50	M	0.586	90328100	CH
RVP80F001	Pneum volume-amplif. relay	365,40	M	0.175	90328100	CH
RWP80F001	Pneum reversing relay	392,70	M	0.192	90328100	CH
RXE101F002	Volume-flow monitor unit 24V	465,80	M	0.275	90328100	DE
RXP81F001	Pneum master controller	1066,10	M	0.920	90328100	CH
SDU101F001	Diff.pressure transducer 24V;0-100Pa	367,20	M	0.834	90328100	CH
SDU101F002	Diff.pressure transducer 24V;0-200Pa	367,20	M	0.829	90328100	CH
SDU101F003	Diff.pressure transducer 24V;0-400Pa	367,20	M	0.843	90328100	CH
SDU101F004	Diff.pressure transducer 24V;0-1000Pa	367,20	M	0.804	90328100	CH
SGU100F001	Path-measuring transducer span:0-0,5m;2-10V	284,60	M	0.400	90328100	CH
SVU100F005	Air-flow transducer;24V~;0-1m/s;0-10V;v-prop.	277,40	M	0.190	90328100	CH
TFC7B12F001	Frost-prot.monitor;for air 0-15°C	324,40	M	1.106	90321000	CH
TFL201F001	Frost-prot.monitor;for air -5..15°C;L=3m	168,30	M	0.650	90321000	CH
TFL201F011	Frost-prot.monitor;for air -5..15°C;L=3m;Xsd=varia.	232,80	M	0.650	90321000	CH
TFL201F021	Frost-prot.limiter;for air -5..15°C;L=3m	221,30	M	0.650	90321000	CH
TFL201F101	Frost-prot.monitor;for air -5..15°C;L=1.5m	172,40	M	0.550	90321000	CH
TFL201F111	Frost-prot.monitor;for air -5..15°C;L=1,5m;Xsd=varia	208,80	C	0.650	90321000	CH
TFL201F121	Frost-prot.limiter;for air -5..15°C;L=1,5m	219,60	C	0.650	90321000	CH
TFL201F601	Frost-prot.monitor;for air -5..15°C;L=6m	183,60	M	0.700	90321000	CH
TFL201F611	Frost-prot.monitor;for air -5..15°C;L=6m;Xsd=varia	226,80	M	0.700	90321000	CH
TFL201F621	Frost-prot.limiter;for air -5..15°C;L=6m	232,80	M	0.700	90321000	CH
TFL611F200	Continuous frost monitor with capillary sensor	239,70	M	0.410	90321000	CH
TFL611F600	Continuous frost monitor with capillary sensor	281,50	M	0.470	90321000	CH
TKFP81AF117	Pneum duct-temp controller A;17-27°C;FF	230,70	C	0.280	90328100	CH
TKFP81BF117	Pneum duct-temp controller B;17-27°C;FF	230,70	C	0.100	90328100	CH
TKP80AF117	Pneum duct-temp controller A;17-27°C;w/o amplif.	193,60	C	0.270	90328100	CH
TKP80BF117	Pneum duct-temp controller B;17-27°C;w/o amplif.	193,60	C	0.100	90328100	CH
TKP81AF117	Pneum duct-temp controller A;17-27°C	224,50	C	0.280	90328100	CH
TKP81BF117	Pneum duct-temp controller B;17-27°C	224,50	C	0.100	90328100	CH
TKSP80F117	Pneum duct-temp controller Seq;17-27°C;w/o ampl.	202,90	C	0.100	90328100	CH
TLC7B17F001	Industrial room thermostat 0-45°C	361,20	M	0.752	90321000	CH
TLC7B17F021	Industrial room thermostat 0-45°C;IP67;	496,80	M	1.009	90321000	CH
TMUP210F001	Pneum average temp transd. -20..40°C	394,80	M	0.465	90328100	CH
TMUP220F001	Pneum average temp transd. 5-35°C	383,30	M	0.440	90328100	CH
TRT210F210	Room therm. w. cable connector;230V external setpoint	28,10	M	0.110	90328900	DE
TRT210F212	Room therm.w.cable connector;24Vexternal stpnt adjstr	28,10	M	0.140	90328900	DE
TRT217F210	Room therm. w. cable connector;230V w. set-back	30,60	M	0.100	90328900	DE
TRT218F210	Room therm. w. cable connector;230V internal setpoint	28,10	M	0.095	90328900	DE
TRT218F212	Room therm. w. cable connector;24Vinternal stpnt adjst	28,10	M	0.095	90328900	DE
TRT219F212	Room therm. w. cable connector;24V w. remote sensor	38,40	M	0.280	90328900	DE
TRT227F210	Room therm. for heating & cooling; 230V~ external	51,60	M	0.100	90328900	DE
TRT227F212	Room thermostat for heating & cooling; 24V~ external	51,60	M	0.100	90328900	DE
TRT228F210	Room thermostat for heating & cooling; 230V~ internal	51,60	M	0.280	90328900	DE
TRT228F212	Room thermostat for heating & cooling; 24V~ internal	51,60	M	0.280	90328900	DE
TSFP80AF117	Pneum room-temp controller A;17-27°C;FF;w/o ampl.	163,80	C	0.100	90328100	CH
TSFP80BF117	Pneum room-temp controller B;17-27°C;FF;w/o ampl.	163,80	C	0.100	90328100	CH
TSFP81AF117	Pneum room-temp controller A;17-27°C;FF	179,20	C	0.100	90328100	CH
TSFP81BF117	Pneum room-temp controller B;17-27°C;FF	179,20	C	0.100	90328100	CH
TSH670F002	Room thermostat;feedback 230V;white	25,50	M	0.109	90321000	ES
TSH672F002	Room thermostat;feedback 230V;white;heat-0-cool	34,40	M	0.110	90321000	ES
TSH676F002	Room thermostat;feedback 230V;white;Auto-N/R	30,80	M	0.110	90321000	ES
TSHK621F001	Fan-Coil roomthermostat 230V;3switches;H/C 2pipes	47,80	M	0.139	90321000	DE
TSHK631F001	Fan-Coil roomthermostat 230V;4switches;Cool 2pipes	52,50	M	0.143	90321000	DE
TSHK642F001	Fan-Coil roomthermostat 230V;2switches;H/C 2pipes	42,30	M	0.138	90321000	DE
TSHK643F001	Fan-Coil roomthermostat 230V;3switches;H/C 4pipes	48,10	M	0.137	90321000	DE
TSHK644F002	Fan-Coil roomthermostat 230/24V;3switches;H/C4pipe	49,60	M	0.069	90321000	DE
TSHK645F001	Fan-Coil roomthermostat 230V;4switches;H/C 4pipes	55,10	M	0.146	90321000	DE
TSHK646F001	Fan-Coil roomthermostat 230V;3switches;3LED;4pipes	57,60	M	0.125	90321000	DE
TSHK661F001	Fan-Coil roomthermostat 230V;3switches;2 & 4 pipes	50,20	M	0.140	90321000	DE
TSHK670F001	Fan-Coil room thermostat 230V;sequence;no switch	76,00	M	0.134	90321000	DE
TSHK671F001	Fan-Coil room thermostat 230V;sequence;on/off	79,60	M	0.138	90321000	DE
TSHK672F001	Fan-Coil room thermostat 230V;sequence;on/off;3fan	80,10	M	0.146	90321000	DE

EPL 2011 EURO

TSHK681F001	Fan-Coil roomthermostat 230V;LCDdisplay;H/C 2pipes	120,40	M	0.150	90321000	DE
TSHK682F001	Fan-Coil roomthermostat 230V;LCDdisplay;H/C 4pipes	122,40	M	0.150	90321000	DE
TSO625F002	Room thermostat 230V;Auto-N/R;white	35,70	M	0.114	90321000	ES
TSO670F001	Room thermostat w/o therm. feedback;white	19,50	M	0.105	90321000	ES
TSO672F001	Room thermostat heat-0-cool;white	26,50	M	0.116	90321000	ES
TSO673F001	Room thermostat 5-30°;heat/cool;2fan steps	55,10	M	0.123	90321000	ES
TSO674F001	Room thermostat 5-30°;heat/cool;3fan steps	55,10	M	0.123	90321000	ES
TSP80AF117	Pneum room-temp controller A;17-27°C;without ampl	119,50	C	0.100	90328100	CH
TSP80BF117	Pneum room-temp controller B;17-27°C;without ampl	119,50	C	0.100	90328100	CH
TSP81AF117	Pneum room-temp controller A;17-27°	159,70	C	0.100	90328100	CH
TSP81BF117	Pneum room-temp controller B;17-27°	159,70	C	0.100	90328100	CH
TSSP80F117	Pneum room-temp controller Seq;17-27°C;w/o amplif.	156,60	C	0.100	90328100	CH
TSUP1F001	Pneum room-temp transducer 5-35°C	230,00	M	0.211	90328100	CH
TUP214F001	Pn.temp.transd.stem-type -20..40°C;L=304mm	326,60	M	0.331	90328100	CH
TUP224F001	Pn.temp.transd.stem-type 5-35°C;L=304mm	326,60	M	0.335	90328100	CH
TUP224F901	Pneum path length transd. 0-1m;span:0,45..0,75m	272,00	M	0.200	90328100	CH
TUP242F001	Pn.temp.transd.stem-type 0-120°C;L=214mm	318,20	M	0.258	90328100	CH
TUP262F001	Pn.temp.transd.stem-type 80-200°C;L=214mm	362,30	M	0.225	90328100	CH
TWUP210F001	Pneum outdoor temp transd. -20..40°C	383,30	M	0.318	90328100	CH
TWUP220F001	Pneum outdoor temp transd. 5-35°C	383,30	M	0.323	90328100	CH
TXT240F210	Remote contr. unit f. operating mode;4-pos. 24V~;230V~	58,90	M	0.100	90328900	DE
V6R15F200	Through valve;fem. thread PN16;DN15;Kvs=4.0;lin	333,30	M	1.147	84818090	CH
V6R15F300	Through valve;fem. thread PN16;DN15;Kvs=4.0;=%	333,30	M	1.143	84818090	CH
V6R15F310	Through valve;fem. thread PN16;DN15;Kvs=2.5;=%	333,30	M	1.146	84818090	CH
V6R15F320	Through valve;fem. thread PN16;DN15;Kvs=1.6;=%	333,30	M	1.114	84818090	CH
V6R15F330	Through valve;fem. thread PN16;DN15;Kvs=1.0;=%	333,30	M	1.115	84818090	CH
V6R15F340	Through valve;fem. thread PN16;DN15;Kvs=.63;=%	333,30	M	1.160	84818090	CH
V6R15F350	Through valve;fem. thread PN16;DN15;Kvs=0.4;=%	333,30	M	1.161	84818090	CH
V6R25F200	Through valve;fem. thread PN16;DN25;Kvs=10;lin	335,50	M	1.604	84818090	CH
V6R25F210	Through valve;fem. thread PN16;DN25;Kvs=6.3;lin	335,50	M	1.592	84818090	CH
V6R25F300	Through valve;fem. thread PN16;DN25;Kvs=10;=%	335,50	M	1.612	84818090	CH
V6R25F310	Through valve;fem. thread PN16;DN25;Kvs=6.3;=%	335,50	M	1.597	84818090	CH
V6R40F200	Through valve;fem. thread PN16;DN40;Kvs=25;lin	500,50	M	3.436	84818090	CH
V6R40F210	Through valve;fem. thread PN16;DN40;Kvs=16;lin	500,50	M	3.466	84818090	CH
V6R40F300	Through valve;fem. thread PN16;DN40;Kvs=25;=%	500,50	M	3.414	84818090	CH
V6R40F310	Through valve;fem. thread PN16;DN40;Kvs=16;=%	500,50	M	3.430	84818090	CH
V6R50F200	Through valve;fem. thread PN16;DN50;Kvs=35;lin	566,50	M	4.666	84818090	CH
V6R50F300	Through valve;fem. thread PN16;DN50;Kvs=35;=%	566,50	M	4.578	84818090	CH
VCL010F200	Valveco;reg valve-dyn/hyd;PN16;DN10;90-450l/h	116,30	M	0.447	84818090	DE
VCL010F210	Valveco;reg valve-dyn/hyd;PN16;DN10;30-210l/h	116,30	M	0.446	84818090	DE
VCL015F200	Valveco;reg valve-dyn/hyd;PN16;DN15;150-1050l/h	121,40	M	0.496	84818090	DE
VCL015F210	Valveco;reg valve-dyn/hyd;PN16;DN15;90-450l/h	121,40	M	0.496	84818090	DE
VCL015F220	Valveco;reg valve-dyn/hyd;PN16;DN15;30-210l/h	121,40	M	0.496	84818090	DE
VCL020F200	Valveco;reg valve-dyn/hyd;PN16;DN20;180-1300l/h	157,10	M	0.577	84818090	DE
VCL020F210	Valveco; reg valve-dyn/hyd;PN16;DN20;150-1050l/h	157,10	M	0.577	84818090	DE
VKR015F300-FF	2-way control ball valve;PN40, DN15, kvs10, 90°,Rp ½	32,60	M	0.307	84818010	IT
VKR015F300-UU	2-way control ball valve;PN40, DN15, kvs10, 90°,Rp ½	34,10	M	0.187	84818010	IT
VKR015F310-FF	2-way control ball valve;PN40, DN15, kvs6.3, 90°,Rp ½	32,60	M	0.308	84818010	IT
VKR015F310-UU	2-way control ball valve;PN40, DN15, kvs6.3, 90°,Rp ½	34,10	M	0.189	84818010	IT
VKR015F320-FF	2-way control ball valve;PN40, DN15, kvs4, 90°,Rp ½	32,60	M	0.307	84818010	IT
VKR015F320-UU	2-way control ball valve;PN40, DN15, kvs4, 90°,Rp ½	34,10	M	0.190	84818010	IT
VKR015F330-FF	2-way control ball valve;PN40, DN15, kvs2.5, 90°,Rp ½	32,60	M	0.305	84818010	IT
VKR015F330-UU	2-way control ball valve;PN40, DN15, kvs2.5, 90°,Rp ½	34,10	M	0.310	84818010	IT
VKR015F340-FF	2-way control ball valve;PN40, DN15, kvs1.6, 90°,Rp ½	32,60	M	0.308	84818010	IT
VKR015F340-UU	2-way control ball valve;PN40, DN15, kvs1.6, 90°,Rp ½	34,10	M	0.316	84818010	IT
VKR015F350-FF	2-way control ball valve;PN40, DN15, kvs1.0, 90°,Rp ½	32,60	M	0.308	84818010	IT
VKR015F350-UU	2-way control ball valve;PN40, DN15, kvs1.0, 90°,Rp ½	34,10	M	0.316	84818010	IT
VKR020F300-FF	2-way control ball valve;PN40, DN20, kvs10, 90°,Rp3/4	36,20	M	0.340	84818010	IT
VKR020F300-UU	2-way control ball valve;PN40, DN20, kvs10, 90°,Rp3/4	37,80	M	0.346	84818010	IT
VKR020F310-FF	2-way control ball valve;PN40, DN20, kvs6.3, 90°,Rp3/4	36,20	M	0.340	84818010	IT
VKR020F310-UU	2-way control ball valve;PN40, DN20, kvs6.3, 90°,Rp3/4	37,80	M	0.221	84818010	IT
VKR020F320-FF	2-way control ball valve;PN40, DN20, kvs4, 90°,Rp3/4	36,20	M	0.339	84818010	IT
VKR020F320-UU	2-way control ball valve;PN40, DN20, kvs4, 90°,Rp3/4	37,80	M	0.346	84818010	IT
VKR025F300-FF	2-way control ball valve;PN40, DN25, kvs16, 90°,Rp1	49,80	M	0.499	84818010	IT
VKR025F300-UU	2-way control ball valve;PN40, DN25, kvs16, 90°,Rp1	52,00	M	0.520	84818010	IT
VKR025F310-FF	2-way control ball valve;PN40, DN25, kvs10, 90°,Rp1	49,80	M	0.499	84818010	IT
VKR025F310-UU	2-way control ball valve;PN40, DN25, kvs10, 90°,Rp1	52,00	M	0.516	84818010	IT
VKR025F320-FF	2-way control ball valve;PN40, DN25, kvs6.3, 90°,Rp1	49,80	M	0.503	84818010	IT
VKR025F320-UU	2-way control ball valve;PN40, DN25, kvs6.3, 90°,Rp1	52,00	M	0.513	84818010	IT

EPL 2011 EURO

VKR032F300-FF	2-way control ball valve;PN40,DN32,kvs25, 90°,Rp1 1/4	75,00	M	0.740 84818010	IT
VKR032F300-UU	2-way control ball valve;PN40, DN32,kvs25, 90°,Rp1 1/4	78,00	M	0.751 84818010	IT
VKR032F310-FF	2-way control ball valve;PN40, DN32, kvs16,90°,Rp1 1/4	75,00	M	0.738 84818010	IT
VKR032F310-UU	2-way control ball valve;PN40,DN32,kvs16, 90°,Rp1 1/4	78,00	M	0.634 84818010	IT
VKR032F320-FF	2-way control ball valve;PN40, DN32, kvs10,90°,Rp1 1/4	75,00	M	0.739 84818010	IT
VKR032F320-UU	2-way control ball valve;PN40, DN32, kvs10,90°,Rp1 1/4	78,00	M	0.750 84818010	IT
VKR040F300-FF	2-way control ball valve;PN40, DN40,kvs40,90°,Rp1 1/2	107,10	M	1.169 84818010	IT
VKR040F300-UU	2-way control ball valve;PN40, DN40, kvs40,90°,Rp1 1/2	110,20	M	1.200 84818010	IT
VKR040F310-FF	2-way control ball valve;PN40, DN40, kvs25,90°,Rp1 1/2	107,10	M	1.167 84818010	IT
VKR040F310-UU	2-way control ball valve;PN40, DN40, kvs25,90°,Rp1 1/2	110,20	M	1.194 84818010	IT
VKR040F320-FF	2-way control ball valve;PN40, DN40, kvs16,90°,Rp1 1/2	107,10	M	1.169 84818010	IT
VKR040F320-UU	2-way control ball valve;PN40, DN40,kvs16,90°,Rp1 1/2	110,20	M	1.191 84818010	IT
VKR050F300-FF	2-way control ball valve;PN40, DN50, kvs63, 90°,RP2	177,50	M	1.810 84818010	IT
VKR050F300-UU	2-way control ball valve;PN40, DN50, kvs63, 90°,RP2	184,60	M	1.823 84818010	IT
VKR050F310-FF	2-way control ball valve;PN40, DN50, kvs40, 90°,RP2	177,50	M	1.813 84818010	IT
VKR050F310-UU	2-way control ball valve;PN40, DN50, kvs40, 90°,RP2	184,60	M	1.827 84818010	IT
VKR050F320-FF	2-way control ball valve;PN40, DN50, kvs25, 90°,RP2	177,50	M	1.814 84818010	IT
VKR050F320-UU	2-way control ball valve;PN40, DN50, kvs25, 90°,RP2	184,60	M	1.834 84818010	IT
VUD015F300	Through flanged valve; PN6, DN15, kvs 4, 8mm	186,70	M	2.299 84818010	CH
VUD015F310	Through flanged valve; PN6, DN15, kvs 2.5, 8mm	186,70	M	2.308 84818010	CH
VUD015F320	Through flanged valve; PN6, DN15, kvs 1.6, 8mm	186,70	M	2.276 84818010	CH
VUD020F300	Through flanged valve; PN6, DN20, kvs 6.3, 8mm	198,90	M	3.361 84818010	CH
VUD025F300	Through flanged valve; PN6, DN25, kvs 10, 8mm	212,20	M	4.065 84818010	CH
VUD032F300	Through flanged valve; PN6, DN32, kvs 16, 8mm	238,70	M	6.647 84818010	CH
VUD040F300	Through flanged valve; PN6, DN40, kvs 22, 8mm	284,60	M	7.867 84818010	CH
VUD050F200	Through flanged valve;PN6;DN50;kvs=40;Lin;8mm	335,60	M	10.488 84818010	CH
VUD050F300	Through flanged valve; PN6, DN50, kvs 28, 8mm	335,60	M	10.538 84818010	CH
VUD065F200	Through flanged valve; PN6, DN65, kvs 63, 20mm	394,70	M	12.820 84818010	DE
VUD065F300	Through flanged valve; PN6, DN65, kvs 49, 20mm	394,70	M	12.820 84818010	DE
VUD080F200	Through flanged valve; PN6, DN80, kvs 100, 20mm	625,30	M	18.840 84818010	DE
VUD080F300	Through flanged valve; PN6, DN80, kvs 78, 20mm	625,30	M	17.960 84818010	DE
VUD100F200	Through flanged valve; PN6, DN100, kvs 160, 40mm	1096,50	M	28.500 84818010	DE
VUD100F300	Through flanged valve; PN6, DN100, kvs 124, 40mm	1096,50	M	28.500 84818010	DE
VUE015F300	Through flanged valve; PN10/16, DN15, kvs4, 8mm	187,70	M	2.200 84818010	CH
VUE015F310	Through flanged valve; PN10/16, DN15, kvs2.5, 8mm	187,70	M	2.200 84818010	CH
VUE015F320	Through flanged valve; PN10/16, DN15, kvs1.6, 8mm	187,70	M	2.200 84818010	CH
VUE015F330	Through flanged valve; PN10/16, DN15, kvs1, 8mm	187,70	M	2.300 84818010	CH
VUE015F340	Through flanged valve; PN10/16, DN15 kvs0.63, 8mm	187,70	M	2.325 84818010	CH
VUE015F350	Through flanged valve; PN10/16, DN15, kvs0.4, 8mm	187,70	M	2.320 84818010	CH
VUE020F300	Through flanged valve; PN10/16, DN20, kvs6.3, 8mm	197,90	M	3.300 84818010	CH
VUE025F300	Through flanged valve; PN10/16, DN25, kvs10, 8mm	210,10	M	4.000 84818010	CH
VUE032F300	Through flanged valve; PN10/16, DN32, kvs16, 8mm	227,50	M	6.500 84818010	CH
VUE040F300	Through flanged valve; PN10/16, DN40, kvs22, 8mm	277,40	M	7.600 84818010	CH
VUE050F200	Through flanged valve;PN10/16;DN50;kvs=40;Li;8mm	312,10	M	10.276 84818010	CH
VUE050F300	Through flanged valve; PN10/16, DN50, kvs28, 8mm	312,10	M	10.400 84818010	CH
VUE065F200	Through flanged valve; PN10/16, DN65, kvs63, 20mm	589,60	M	18.080 84818010	DE
VUE065F300	Through flanged valve; PN10/16, DN65, kvs49, 20mm	589,60	M	19.070 84818010	DE
VUE080F200	Through flanged valve; PN10/16, DN80, kvs100, 20mm	800,70	M	24.300 84818010	DE
VUE080F300	Through flanged valve; PN10/16, DN80, kvs78, 20mm	800,70	M	24.300 84818010	DE
VUE100F200	Through flanged valve; PN10/16 DN100 kvs160, 40mm	1213,80	M	36.500 84818010	DE
VUE100F300	Through flanged valve; PN10/16 DN100 kvs124, 40mm	1213,80	M	36.500 84818010	DE
VUE125F200	Through flanged valve; PN10/16 DN120 kvs240, 40mm	1532,00	M	50.000 84818010	DE
VUE125F300	Through flanged valve; PN10/16 DN120 kvs200, 40mm	1532,00	M	50.000 84818010	DE
VUE150F200	Through flanged valve; PN10/16 DN150 kvs320, 40mm	1897,20	M	68.500 84818010	DE
VUE150F300	Through flanged valve; PN10/16 DN150 kvs300, 40mm	1897,20	M	68.500 84818010	DE
VUG015F304	Through flanged valve; PN16/25, DN15, kvs4, 20mm	276,40	M	3.800 84818010	CH
VUG015F314	Through flanged valve; PN16/25 DN15, kvs2.5, 20mm	276,40	M	3.900 84818010	CH
VUG015F324	Through flanged valve; PN16/25 DN15, kvs1.6, 20mm	276,40	M	4.060 84818010	CH
VUG015F334	Through flanged valve; PN16/25, DN15, kvs1, 20mm	276,40	M	3.800 84818010	CH
VUG015F344	Through flanged valve; PN16/25 DN15 kvs0.63, 20mm	276,40	M	3.800 84818010	CH
VUG015F354	Through flanged valve; PN16/25 DN15 kvs0.40, 20mm	276,40	M	4.034 84818010	CH
VUG015F364	Through flanged valve; PN16/25 DN15 kvs0.25, 20mm	276,40	M	4.058 84818010	CH
VUG015F374	Through flanged valve; PN16/25 DN15 kvs0.16, 20mm	276,40	M	4.074 84818010	CH
VUG020F304	Through flanged valve; PN16/25 DN20, kvs6.3, 20mm	309,10	M	5.130 84818010	CH
VUG025F304	Through flanged valve; PN16/25, DN25, kvs10, 20mm	340,70	M	6.000 84818010	CH
VUG032F304	Through flanged valve; PN16/25, DN32, kvs16, 20mm	427,40	M	9.375 84818010	CH
VUG040F304	Through flanged valve; PN16/25, DN40, kvs25, 20mm	471,20	M	11.345 84818010	CH
VUG050F304	Through flanged valve; PN16/25, DN50, kvs40, 20mm	562,00	M	14.250 84818010	CH
VUG065F304	Through flanged valve; PN25, DN65, kvs63, 40mm	973,10	M	28.300 84818010	DE

EPL 2011 EURO

VUG065F316	Through flanged valve; PN16, DN65, kvs63, 40mm	973,10	M	27.100	84818010	DE
VUG080F304	Through flanged valve; PN25 DN80, kvs100, 40mm	1269,90	M	37.650	84818010	DE
VUG100F304	Through flanged valve; PN25, DN100, kvs160, 40mm	1793,20	M	55.500	84818010	DE
VUG125F304	Through flanged valve; PN25, DN125, kvs250, 40mm	2360,30	M	82.100	84818010	DE
VUG150F304	Through flanged valve; PN25, DN150, kvs340, 40mm	3091,60	M	112.150	84818010	DE
VUL010F300	Small through valve;DN10 PN16;G1/2A;Kvs=1.6;=%	22,80	M	0.187	84818090	FR
VUL010F310	Small through valve;DN10 PN16;G1/2A;Kvs=1.0;=%	22,80	M	0.188	84818090	FR
VUL010F320	Small through valve;DN10 PN16;G1/2A;Kvs=0.63;=%	22,80	M	0.190	84818090	FR
VUL010F330	Small through valve;DN10 PN16;G1/2A;Kvs=0.40;=%	22,80	M	0.190	84818090	FR
VUL010F340	Small through valve;DN10 PN16;G1/2A;Kvs=0.16;=%	22,80	M	0.198	84818090	FR
VUL010F600	Small through valve;DN10 PN16;D=15mm;Kvs=1.6;=%	23,40	M	0.180	84818090	FR
VUL010F610	Small through valve;DN10 PN16;D=15mm;Kvs=1.0;=%	23,40	M	0.180	84818090	FR
VUL010F620	Small through valve;DN10 PN16;D=15mm;Kvs=0.63;=%	23,40	M	0.183	84818090	FR
VUL010F630	Small through valve;DN10 PN16;D=15mm;Kvs=0.40;=%	23,40	M	0.183	84818090	FR
VUL015F300	Small through valve;DN15 PN16;G3/4A;Kvs=4.0;=%	25,90	M	0.280	84818090	FR
VUL015F310	Small through valve;DN15 PN16;G3/4A;Kvs=2.5;=%	25,90	M	0.280	84818090	FR
VUL020F300	Small through valve;DN20 PN16;G 1A;Kvs=4.5;=%	33,70	M	0.320	84818090	FR
VUN015F300	Through valve;fem. thread;PN16;DN15;kvs=4.0;8mm;=%	123,40	M	0.811	84818090	CH
VUN015F310	Through valve;fem. thread;PN16;DN15;kvs=2.5;8mm;=%	123,40	M	0.827	84818090	CH
VUN015F320	Through valve;fem. thread;PN16;DN15;kvs=1.6;8mm;=%	123,40	M	0.812	84818090	CH
VUN015F330	Through valve;fem. thread;PN16;DN15;kvs=1.0;8mm;=%	123,40	M	0.815	84818090	CH
VUN015F340	Through valve;fem. thread;PN16;DN15;kvs=0.63;8mm;=%	123,40	M	0.815	84818090	CH
VUN015F350	Through valve;fem. thread;PN16;DN15;kvs=0.4;8mm;=%	123,40	M	0.815	84818090	CH
VUN020F300	Through valve;PN16;DN20;kvs=6.3;8mm;=%;	130,60	M	1.036	84818090	CH
VUN025F300	Through valve;PN16;DN25;kvs=10;8mm;=%;	146,90	M	1.309	84818090	CH
VUN032F300	Through valve;PN16;DN32;kvs=16;8mm;=%;	179,50	M	1.726	84818090	CH
VUN040F300	Through valve;PN16;DN40;kvs=22;8mm;=%;	220,30	M	2.470	84818090	CH
VUN050F200	Through valve;PN16;DN50;kvs=40;8mm;lin.	366,20	M	4.095	84818090	CH
VUN050F300	Through valve;PN16;DN50;kvs=40;8mm;=%;	366,20	M	3.494	84818090	CH
VUP040F304	Through flanged valve; PN25, DN40, kvs 25, 14mm	1060,80	M	10.400	84818090	CZ
VUP050F304	Through flanged valve; PN25, DN50, kvs 40, 25mm	1218,90	M	14.000	84818010	CZ
VUP065F304	Through flanged valve; PN25, DN65, kvs 63, 25mm	1366,80	M	18.550	84818010	CZ
VUP080F304	Through flanged valve; PN25, DN80, kvs 100, 25mm	1683,00	M	25.750	84818010	CZ
VUP100F304	Through flanged valve; PN25, DN100, kvs 160, 40mm	2295,00	M	36.750	84818010	CZ
VUP125F304	Through flanged valve; PN25, DN125, kvs 250, 40mm	2738,70	M	57.450	84818010	CZ
VUP150F304	Through flanged valve; PN25, DN150, kvs 350, 40mm	3774,00	M	86.150	84818010	CZ
VUS015F305	Through flanged valve;PN40;DN15;Kvs=4.0	877,20	M	5.000	84818010	DE
VUS015F315	Through flanged valve;PN40;DN15;Kvs=2.5	877,20	M	5.000	84818010	DE
VUS015F325	Through flanged valve;PN40;DN15;Kvs=1.6	877,20	M	5.300	84818010	DE
VUS015F335	Through flanged valve;PN40;DN15;Kvs=1.0	877,20	M	5.000	84818010	DE
VUS015F345	Through flanged valve;PN40;DN15;Kvs=0.63	877,20	M	5.000	84818010	DE
VUS015F355	Through flanged valve;PN40;DN15;Kvs=0.40	877,20	M	5.000	84818010	DE
VUS015F365	Through flanged valve;PN40;DN15;Kvs=0.25	877,20	M	5.000	84818010	DE
VUS015F375	Through flanged valve;PN40;DN15;Kvs=0.16	877,20	M	5.000	84818010	DE
VUS020F305	Through flanged valve;PN40;DN20;Kvs=6.3	938,40	M	6.100	84818010	DE
VUS025F305	Through flanged valve;PN40;DN25;Kvs=10	994,50	M	6.900	84818010	DE
VUS032F305	Through flanged valve;PN40;DN32;Kvs=16	1186,30	M	8.700	84818010	DE
VUS040F305	Through flanged valve;PN40;DN40;Kvs=25	1293,40	M	10.700	84818010	DE
VUS050F305	Through flanged valve;PN40;DN50;Kvs=40	1562,60	M	13.500	84818010	DE
VUS065F305	Through flanged valve;PN40;DN65;Kvs=63	2023,70	M	19.000	84818010	DE
VUS080F305	Through flanged valve;PN40;DN80;Kvs=100	2563,30	M	25.500	84818010	DE
VUS100F305	Through flanged valve;PN40;DN100;Kvs=160	3394,60	M	37.000	84818010	DE
VUS125F305	Through flanged valve;PN40;DN125;Kvs=220	4350,30	M	57.000	84818010	DE
VUS150F305	Through flanged valve;PN40;DN150;Kvs=320	5653,90	M	80.000	84818010	DE
VXL010F250	Small through valve;DN10 PN16;Kvs=0.25-1.7;lin	27,90	M	0.258	84818090	DE
VXL010F260	Small through valve;DN10 PN16;Kvs=0,04...0,72;lin	25,90	M	0.258	84818090	DE
VXL010F500	Small through valve;DN10 PN16;Kvs=.8;lin;cornervlv	19,00	M	0.230	84818090	DE
VXL010F510	Small through valve;DN10 PN16;Kvs=.36;lin;cornervlv	19,00	M	0.230	84818090	DE
VXL015F250	Small through valve;DN15 PN16;Kvs=0.25-1.85;lin	31,70	M	0.320	84818090	DE
VXL015F260	Small through valve;DN15 PN16;Kvs=0.03-0.51;lin	27,40	M	0.300	84818090	DE
VXL015F500	Small through valve;DN15 PN16;Kvs=5.0;lin;cornervlv	34,30	M	0.444	84818090	DE
VXL015F510	Small through valve;DN15 PN16;Kvs=2.2;lin;cornervlv	21,60	M	0.274	84818090	DE
VXL015F520	Small through valve;DN15 PN16;Kvs=0.8;lin;cornervlv	21,60	M	0.280	84818090	DE
VXL020F250	Small through valve;DN20 PN16;Kvs=0.25-1.95;lin	36,80	M	0.429	84818090	DE
VXL020F260	Small through valve;DN20 PN16;Kvs=0.03-0.51;lin	39,60	M	0.440	84818090	DE
VXL020F500	Small through valve;DN20 PN16;Kvs=7.0;corner valve	40,80	M	0.583	84818090	DE
VXL025F200	Small through valve;DN25 PN16;Kvs=5.5;lin;DP=1bar	55,60	M	0.975	84818090	DE
VXL025F201	Small through valve;DN25 PN16;Kvs=5.5;lin;dP=4bar	98,40	M	0.985	84818090	DE
VXL032F201	Small through valve;DN32 PN16;Kvs=10;lin;dP=3.5bar	128,80	M	1.501	84818090	DE

EPL 2011 EURO

XAFP100F001	dynamic-pressure sensor for air flow measuring	67,30	M	0.400 90329090	CH
XAP1F001	Position indicator;min+max former 274244000	516,60	M	0.287 90328100	CH
XAP2F001	Position indicator;pot 2k former 274245000	551,30	M	0.300 90328100	CH
XEP10F001	E-P converter 2-10V;pneum. amplifier	358,40	M	0.300 90329090	CH
XEP10F002	E-P converter 4-20mA;pneum. mplifier	358,40	M	0.300 90329090	CH
XEP110F001	E-P converter 2-10V;pn+el. amplifier	430,50	C	0.300 90329090	CH
XEP110F011	E-P converter 0-10V;pn+el. amplifier	430,50	C	0.300 90329090	CH
XEP1F001	E-P converter 2-10V;without amplifier	259,60	C	0.300 90329090	CH
XEP1F002	E-P converter 4-20mA;without amplifier	259,60	C	0.200 90329090	CH
XEP301F001	E-P and P-E converter 2-10V/0.2-1b;0.2-1b/2-10V	516,00	C	0.320 90329090	CH
XEP301F011	E-P and P-E converter 0-10V/0.2-1b;0.2-1b/0-10V	516,00	C	0.320 90329090	CH
XFRP5F001	Pressure-reducing set 20m3/h;assembled	1059,90	M	2.445 84811010	CH
XFRP5F002	Pressure-reducing set 20m3/h;dismantled	1018,70	M	2.395 84811010	CH
XGP2F001	Pneum pressure regulator 0.2-1b (5-35°C)	138,00	M	0.057 90329090	CH
XGP2F002	Pneum pressure regulator +/-0.1b (+/-3.75K)	138,00	M	0.056 90329090	CH
XGP2LF001	Pneum pressure regulator 0-1.2b;with amplifier	221,50	M	0.120 90329090	CH
XHP3F001	Pneum hand-switch 4-step	108,20	M	0.054 90329090	CH
XMP0/100EF001	Pneum pressure gauge 0-100% (0.2-1b)	127,10	M	0.100 90262000	CH
XMP0/120TF001	Pneum pressure gauge 0-120°C (0.2-1b)	127,10	M	0.100 90262000	CH
XMP0/16BF001	Pneum pressure gauge 0-1.6 bar	127,10	M	0.100 90262000	CH
XMP0/20AFF002	Pneum pressure gauge 0-20g/kg;(0.2-1b)	127,10	M	0.100 90262000	CH
XMP0/5NDF001	Pneum pressure gauge 0-5mb (0.2-1b)	127,10	M	0.100 90262000	CH
XMP020/40F001	Pneum pressure gauge -20..40°C (0.2-1b)	127,10	M	0.100 90262000	CH
XMP20/90FF001	Pneum pressure gauge 20-90%rF (0.2-1b)	127,10	M	0.100 90262000	CH
XMP5/10NDF001	Pneum pressure gauge 5-10mb (0.2-1b)	127,10	M	0.100 90262000	CH
XMP5/35TF001	Pneum pressure gauge 5-35°C (0.2-1b)	127,10	M	0.100 90262000	CH
XMP50/50PF001	Pneum pressure gauge -50..50Pa (-20..20Pa)	127,10	M	0.100 90262000	CH
XMP80/200F001	Pneum pressure gauge 80-200°C (0.2-1b)	127,10	M	0.100 90262000	CH
XP22F001	Pneumatic restrictor brass;screw fitting	57,40	M	0.059 90329090	CH
XP41F001	Pneumatic restrictor Plastic;screw fitting	38,30	M	0.010 90329090	CH
XP4F002	Pneumatic restrictor Plastic;push-on	11,90	M	0.003 90329090	CH
XPESF001	Setpoint Potentiometer pot2k;panel mounting	105,50	M	0.075 85333100	CH
XRP101F001	Pn.interface relay;plug-in former 297690000	40,50	M	0.029 90329090	CH
XRP102F001	Pn.reversing relay;plug-in former 297600000	86,60	M	0.057 90329090	CH
XRP103F001	Pn.sequence relay;plug-in former 297510000	58,90	M	0.016 90329090	CH
XRP104F001	Pn.seq.rev.relay;plug-in former 297700000	86,60	M	0.060 90329090	CH
XSP31F001	Pneum.positioner former 274186000	255,20	M	0.132 90328100	CH
XTP2F001	Pneum delaying relay time const=0.2-3min	337,80	M	0.189 90329090	CH
XYE301F001	Demo-Box Equiflex NRT 104/107 F041	249,70	M	1.706 90230000	DE
XYE302F001	Demo-Box Equiflex for NRT300 F061	344,30	M	1.786 90230000	DE
XYE450F001	demo-case radio;room management	1193,50	M	6.040 90230000	CH
XYE510F100	demo-case ASV115;VAV simulation	2320,50	M	13.066 90230000	CH
XYE551F001	demo-case AXT2..;thermal valve drive	339,20	M	2.396 90230000	CH
XYP1F001	Testing unit for plants	1014,30	M	0.747 90328100	CH
XYP2F001	Testing unit for centair	2657,60	M	2.088 90328100	CH
XYP3F001	Testing unit; low pressure 5-500Pa	561,40	M	0.396 90328100	CH
XYP3F002	Testing unit; low pressure 1-100Pa	605,60	M	0.426 90328100	CH
ZDR101F011	1 channel time switch 230V;50-60Hz	281,20	M	0.446 91070000	CH
ZDR102F021	2 channel time switch 230V;50-60Hz	307,40	M	0.483 91070000	CH

